


# GAVIA



| SIZE  | 47    | 51    | 53    | 56    | 59    |
|-------|-------|-------|-------|-------|-------|
| S     | 470   | 510   | 530   | 560   | 590   |
| A     | 518   | 528   | 555   | 577   | 600   |
| B     | 69,5° | 69,5° | 72,7° | 73°   | 73,5° |
| C     | 72,4° | 72,4° | 73,5° | 73°   | 72,7° |
| E     | 435   | 435   | 420   | 420   | 420   |
| H     | 98,7  | 115   | 150   | 165   | 180   |
| REACH | 355   | 360,2 | 391,4 | 403,4 | 418,7 |
| STACK | 515   | 530,2 | 552,3 | 567,5 | 583,8 |

## EQUIP- MENTS



### ART.

**S9350**  
ULTEGRA  
DISCO Di2

MONOSCOC-  
CA CARBON

MONOSCOC-  
CA CARBON

ULTEGRA  
8050SS

ULTEGRA  
8050F

SHIMANO  
8020

FSA 50/34

SHIMANO  
8000 11-30

SHIMANO  
R8020

FSA ENERGY  
HB / FSA NS  
ST ACR

FULCRUM  
R700 DB

VITTORIA  
ZAFFIRO PRO  
700\*28

SELLA ITALIA  
XR FLOW

CARBON

POLINI EP3

POLINI  
500WH

POLINI

### ART.

**S9340**  
ULTEGRA DISC

MONOSCOC-  
CA CARBON

MONOSCOC-  
CA CARBON

ULTEGRA  
8000SS

ULTEGRA  
8000F

ULTEGRA  
8020

FSA 50/34

SHIMANO  
7000 11-30

SHIMANO  
R8020

FSA ENERGY  
HB / FSA NS  
ST ACR

FULCRUM  
R900 DB

VITTORIA  
ZAFFIRO PRO  
700\*28

SELLA ITALIA  
XR FLOW

CARBON

POLINI EP3

POLINI  
500WH

POLINI



# GAVIA

ART.S9340 ULTEGRA DISCO




15,3



C092  
NERO-GIALLO

# XONAR

ART.S9140 ULTEGRA DISCO



| SIZE  | 49    | 52    | 54    | 56    | 58    |
|-------|-------|-------|-------|-------|-------|
| S     | 490   | 520   | 540   | 560   | 580   |
| A     | 501,4 | 522,2 | 532   | 545,1 | 559   |
| B     | 70,5° | 71°   | 71,5° | 72°   | 72°   |
| C     | 74,5° | 74°   | 73,5° | 73°   | 72,5° |
| E     | 440   | 440   | 440   | 440   | 440   |
| H     | 130   | 140   | 150   | 170   | 190   |
| REACH | 363,1 | 374,6 | 376   | 379,1 | 383,4 |
| STACK | 547,8 | 559,2 | 570,6 | 591,6 | 610,6 |



16,8



C930  
NERO-ARANCIO


## EQUIP- MENTS



|                                    |            |            |                |               |              |           |                    |               |                 |                 |                             |                            |                    |            |              |        |
|------------------------------------|------------|------------|----------------|---------------|--------------|-----------|--------------------|---------------|-----------------|-----------------|-----------------------------|----------------------------|--------------------|------------|--------------|--------|
| <b>ART. S9140</b><br>ULTEGRA DISCO | ALLOY 6061 | ALU-CARBON | ULTEGRA 8000SS | ULTEGRA 8000F | ULTEGRA 8020 | FSA 50/34 | SHIMANO 7000 11-30 | SHIMANO R8020 | DEDA ZERO BLACK | FULCRUM R900 DB | VITTORIA ZAFFIRO PRO 700X32 | SELLA ITALIA X3 EBIKE FLOW | DEDA RS ZERO BLACK | POLINI EP3 | POLINI 500WH | POLINI |
| <b>ART. S9130</b><br>SHIMANO 105   | ALLOY 6061 | ALU-CARBON | SH. 105 7000SS | SH. 105 7000F | SH.105 7020  | FSA 50/34 | SHIMANO 7000 11-30 | SHIMANO R7020 | DEDA ZERO BLACK | FULCRUM R900 DB | VITTORIA ZAFFIRO PRO 700X32 | SELLA ITALIA X3 EBIKE FLOW | DEDA RS ZERO BLACK | POLINI EP3 | POLINI 500WH | POLINI |

# XONAR SPORT

ART.S9230 SHIMANO 105



| SIZE  | 49    | 52    | 54    | 56    | 58    |
|-------|-------|-------|-------|-------|-------|
| S     | 490   | 520   | 540   | 560   | 580   |
| A     | 501,4 | 522,2 | 532   | 545,1 | 559   |
| B     | 70,5° | 71°   | 71,5° | 72°   | 72°   |
| C     | 74,5° | 74°   | 73,5° | 73°   | 72,5° |
| E     | 440   | 440   | 440   | 440   | 440   |
| H     | 130   | 140   | 150   | 170   | 190   |
| REACH | 363,1 | 374,6 | 376   | 379,1 | 383,4 |
| STACK | 547,8 | 559,2 | 570,6 | 591,6 | 610,6 |



16,9



C930  
NERO-ARANCIO



## EQUIP- MENTS



**ART.  
S9230**  
SHIMANO 105

ALLOY 6061

ALU-CARBON

SH. 105  
7000SS

SH. 105  
7000F

SHIMANO  
RS700

FSA 50/34

SHIMANO  
7000 11-30

SHIMANO  
RS600

ALLOY FLAT

FULCRUM  
R900 DB

VITTORIA  
ZAFFIRO PRO  
700\*32

SELLA ITALIA  
X3 EBIKE  
FLOW

ALLOY

POLINI EP3


POLINI  
500WH

POLINI



# E-SCUD

ART.S8340 ULTEGRA DISCO



| SIZE  | 47    | 51    | 54    | 57    |
|-------|-------|-------|-------|-------|
| S     | 470   | 510   | 540   | 570   |
| A     | 518   | 528   | 549,5 | 591   |
| B     | 69,5° | 69,5° | 71°   | 72,4° |
| C     | 72,4° | 72,4° | 72,4° | 72,4° |
| E     | 435   | 435   | 435   | 435   |
| H     | 98,7  | 115   | 130   | 155   |
| REACH | 355   | 360,2 | 375,4 | 407,6 |
| STACK | 515   | 530,2 | 550,1 | 579,5 |



BATTERIA  
SUPPLEMENTARE



12,2



**C097**  
NERO OPACO-NERO  
LUCIDO-ROSSO

**C913**  
NERO OPACO-NERO  
LUCIDO-LIME

## EQUIP- MENTS



**ART.  
S8340**  
ULTEGRA  
DISCO

MONOSCOC-  
CA CARBON

MONOSCOC-  
CA CARBON

ULTEGRA  
8000SS

ULTEGRA  
8000F

ULTEGRA  
8020

ULTEGRA  
8000 50-34

ULTEGRA  
8000 11-30

ULTEGRA  
R8020

DEDA 01  
BLACK

VKT DISCO  
12MM

VITTORIA  
ZAFFIRO PRO  
700\*28

SELLA ITALIA  
XR FLOW

DEDA RSX 01  
BLACK

EBIKEMOTION  
X35

EBIKEMOTION  
INTEGRATA  
248WH

IWOK\*ONE

**ART.  
S8330**  
SHIMANO 105

MONOSCOC-  
CA CARBON

MONOSCOC-  
CA CARBON

SH. 105  
7000SS

SH. 105  
7000F

SH.105 7020

SHIMANO  
7000 50-34

SHIMANO  
7000 11-30

SHIMANO  
R7020

DEDA ZERO  
BLACK

VKT DISCO  
12MM

VITTORIA  
ZAFFIRO PRO  
700\*28

SELLA ITALIA  
XR FLOW

DEDA ZERO  
BLACK


EBIKEMOTION  
X35

EBIKEMOTION  
INTEGRATA  
248WH

IWOK\*ONE

# E-SCUD SPORT

ART.S8230 SHIMANO 105



| SIZE  | 47    | 51    | 54    | 57    |
|-------|-------|-------|-------|-------|
| S     | 470   | 510   | 540   | 570   |
| A     | 518   | 528   | 549,5 | 591   |
| B     | 69,5° | 69,5° | 71°   | 72,4° |
| C     | 72,4° | 72,4° | 72,4° | 72,4° |
| E     | 435   | 435   | 435   | 435   |
| H     | 98,7  | 115   | 130   | 155   |
| REACH | 355   | 360,2 | 375,4 | 407,6 |
| STACK | 515   | 530,2 | 550,1 | 579,5 |



BATTERIA  
SUPPLEMENTARE



12,3



**C097**  
NERO OPACO-NERO  
LUCIDO-ROSSO

**C913**  
NERO OPACO-NERO  
LUCIDO-LIME

## EQUIP- MENTS



**ART.  
S8230**  
SHIMANO 105

MONOSCOC-  
CA CARBON

MONOSCOC-  
CA CARBON

SH. 105  
7000SS

SH. 105  
7000F

SHIMANO  
RS700

SHIMANO  
7000 50-34

SHIMANO  
7000 11-30

SHIMANO  
RS600

ALLOY FLAT

VKT DISCO  
12MM

VITTORIA  
ZAFFIRO PRO  
700\*28

SELLA ITALIA X3  
EBIKE FLOW

ALLOY


EBIKEMOTION  
X35

EBIKEMOTION  
INTEGRATA  
248WH

IWOK®ONE

# E-RAW

ART.S8130 SHIMANO 105



| SIZE  | 47    | 51    | 54    | 57    |
|-------|-------|-------|-------|-------|
| S     | 470   | 510   | 540   | 570   |
| A     | 525   | 535,5 | 544   | 559   |
| B     | 69,5° | 69,5° | 71°   | 72,4° |
| C     | 73,5° | 73,5° | 73,5° | 73,5° |
| E     | 435   | 435   | 435   | 435   |
| H     | 110   | 120   | 125   | 150   |
| REACH | 368   | 375   | 381,7 | 400   |
| STACK | 529,9 | 541,2 | 547,8 | 573,3 |



BATTERIA  
SUPPLEMENTARE



13,3



C047  
GRIGIO-ROSSO



C136  
LIME-BLU

## EQUIP- MENTS




|                                      |            |            |                   |                  |             |                       |                       |                  |       |                   |                               |                                  |       |                    |                                   |          |
|--------------------------------------|------------|------------|-------------------|------------------|-------------|-----------------------|-----------------------|------------------|-------|-------------------|-------------------------------|----------------------------------|-------|--------------------|-----------------------------------|----------|
| <b>ART.<br/>S8130</b><br>SHIMANO 105 | ALLOY 6061 | ALU-CARBON | SH. 105<br>7000SS | SH. 105<br>7000F | SH.105 7020 | SHIMANO<br>7000 50-34 | SHIMANO<br>7000 11-30 | SHIMANO<br>R7020 | ALLOY | VKT DISCO<br>12MM | VITTORIA<br>ZAFFIRO<br>700*28 | SELLA ITALIA<br>X3 EBIKE<br>FLOW | ALLOY | EBIKEMOTION<br>X35 | EBIKEMOTION<br>INTEGRATA<br>248WH | IWOK®ONE |
|--------------------------------------|------------|------------|-------------------|------------------|-------------|-----------------------|-----------------------|------------------|-------|-------------------|-------------------------------|----------------------------------|-------|--------------------|-----------------------------------|----------|



# E-RAW SPORT

ART.S8025 SHIMANO TIAGRA DISCO



| SIZE  | 47    | 51    | 54    | 57    |
|-------|-------|-------|-------|-------|
| S     | 470   | 510   | 540   | 570   |
| A     | 525   | 535,5 | 544   | 559   |
| B     | 69,5° | 69,5° | 71°   | 72,4° |
| C     | 73,5° | 73,5° | 73,5° | 73,5° |
| E     | 435   | 435   | 435   | 435   |
| H     | 110   | 120   | 125   | 150   |
| REACH | 368   | 375   | 381,7 | 400   |
| STACK | 529,9 | 541,2 | 547,8 | 573,3 |



BATTERIA  
SUPPLEMENTARE



13,4



C047  
GRIGIO-ROSSO

C136  
LIME-BLU

## EQUIP- MENTS




|                                                  |            |            |                      |                     |                    |                      |                        |                  |            |                   |                                   |                                  |       |                    |                                   |          |
|--------------------------------------------------|------------|------------|----------------------|---------------------|--------------------|----------------------|------------------------|------------------|------------|-------------------|-----------------------------------|----------------------------------|-------|--------------------|-----------------------------------|----------|
| <b>ART.<br/>S8025</b><br>SHIMANO<br>TIAGRA DISCO | ALLOY 6061 | ALU-CARBON | SH. TIAGRA<br>4700SS | SH. TIAGRA<br>4700F | SHIMANO<br>SL-4700 | VKT COMPACT<br>50-34 | SHIMANO<br>HG500 12-28 | SHIMANO<br>RS600 | ALLOY FLAT | VKT DISCO<br>12MM | VITTORIA<br>ZAFFIRO PRO<br>700*28 | SELLA ITALIA<br>X3 EBIKE<br>FLOW | ALLOY | EBIKEMOTION<br>X35 | EBIKEMOTION<br>INTEGRATA<br>248WH | IWOK®ONE |
|--------------------------------------------------|------------|------------|----------------------|---------------------|--------------------|----------------------|------------------------|------------------|------------|-------------------|-----------------------------------|----------------------------------|-------|--------------------|-----------------------------------|----------|



# E-WOX

ART.S9570 SHIMANO SLX 11V.



| SIZE | 42  | 48  |
|------|-----|-----|
| S    | 420 | 480 |
| A    | 590 | 610 |
| B    | 65° | 65° |
| C    | 71° | 71° |
| E    | 455 | 455 |
| H    | 120 | 120 |



24,8



**C972**  
NERO-ROSSO-GIALLO

**C926**  
NERO-GIALLO-BLU


## EQUIP- MENTS



|                                              |                                                                      |                           |                                        |                        |                      |                      |                      |                                     |                         |                                            |                                      |                                    |                                                         |                  |                                            |                      |
|----------------------------------------------|----------------------------------------------------------------------|---------------------------|----------------------------------------|------------------------|----------------------|----------------------|----------------------|-------------------------------------|-------------------------|--------------------------------------------|--------------------------------------|------------------------------------|---------------------------------------------------------|------------------|--------------------------------------------|----------------------|
| <b>ART.<br/>S9570</b><br>SHIMANO SLX<br>11V. | MTB FULL 27,5"<br>BOOST ALLOY<br>6061 HYDR.<br>ESC. 160MM<br>AXLE 12 | ROCK<br>SHOX<br>DELUXE RL | ROCK SHOX<br>YARI 15/110<br>ESC. 160MM | SHIMANO SLX<br>M7000GS | SHIMANO SLX<br>M7000 | SHIMANO<br>E8000 34T | SHIMANO SLX<br>11-42 | TEKTRO M745<br>4 PISTONI<br>203/180 | WAG 10°X50 /<br>WAG 780 | MICHE XMH-<br>30 BOOST<br>SPECIAL<br>EBIKE | SCHWALBE<br>MAGIC MARY<br>27,5"*2,60 | SELLA ITALIA<br>X-LR AIR-<br>CROSS | TRANZX<br>TELESCOPICO<br>MM 125 W/<br>REMOTE<br>CONTROL | SHIMANO<br>E8000 | SHIMANO<br>BT E-8020<br>INTEGRATA<br>504WH | SHIMANO<br>SC E-8000 |
|----------------------------------------------|----------------------------------------------------------------------|---------------------------|----------------------------------------|------------------------|----------------------|----------------------|----------------------|-------------------------------------|-------------------------|--------------------------------------------|--------------------------------------|------------------------------------|---------------------------------------------------------|------------------|--------------------------------------------|----------------------|

# E-WOX

ART.S9580 SHIMANO XT 11V.



| SIZE | 42  | 48  |
|------|-----|-----|
| S    | 420 | 480 |
| A    | 590 | 610 |
| B    | 65° | 65° |
| C    | 71° | 71° |
| E    | 455 | 455 |
| H    | 120 | 120 |



24,5



**C972**  
NERO-ROSSO-GIALLO

**C926**  
NERO-GIALLO-BLU

## EQUIP- MENTS



**ART.  
S9580**  
SHIMANO XT  
11V.

MTB FULL 27,5"  
BOOST ALLOY  
6061 HYDR.  
ESC. 160MM  
AXLE 12

ROCK  
SHOX  
DELUXE RL

ROCK SHOX  
YARI 15/110  
ESC. 160MM

SHIMANO XT  
M8000GS

SHIMANO XT  
M8000

SHIMANO  
E8000 34T

SHIMANO XT  
11-46

SHIMANO  
M-501  
4 PISTONI  
203/180

WAG 10°X50 /  
WAG 780

MICHE XMH-  
30 BOOST  
SPECIAL  
EBIKE

SCHWALBE  
MAGIC MARY  
27,5"\*2,60

SELLA ITALIA  
X-LR AIR-  
CROSS


TRANZX  
TELESCOPICO  
MM 125 W/  
REMOTE  
CONTROL

SHIMANO  
E8000

SHIMANO  
BT E-8020  
INTEGRATA  
504WH

SHIMANO  
SC E-8000

# IXION



| SIZE | 42  | 46  | 50  |
|------|-----|-----|-----|
| S    | 420 | 460 | 500 |
| A    | 589 | 609 | 631 |
| B    | 66° | 66° | 66° |
| C    | 74° | 74° | 74° |
| E    | 470 | 470 | 470 |
| H    | 130 | 130 | 130 |

## EQUIP- MENTS



|                                      |                                                          |                      |                                      |                    |                  |         |                  |                                 |                      |                                  |                                |                             |                                            |            |              |        |
|--------------------------------------|----------------------------------------------------------|----------------------|--------------------------------------|--------------------|------------------|---------|------------------|---------------------------------|----------------------|----------------------------------|--------------------------------|-----------------------------|--------------------------------------------|------------|--------------|--------|
| <b>ART. S8580</b><br>SHIMANO XT 11V. | MTB FULL 27,5" BOOST ALLOY 6061 HYDR. ESC. 140MM AXLE 12 | ROCK SHOX MONARCH RL | ROCK SHOX YARI 15/110 ESC. 160MM     | SHIMANO XT M8000GS | SHIMANO XT M8000 | FSA 36T | SHIMANO XT 11-46 | SHIMANO M-501 4 PISTONI 203/180 | WAG 10°X50 / WAG 780 | MICHE XMH-30 BOOST SPECIAL EBIKE | SCHWALBE MAGIC MARY 27,5"*2,60 | SELLA ITALIA X-LR AIR-CROSS | TRANZX TELESOPICO MM 125 W/ REMOTE CONTROL | POLINI EP3 | POLINI 500WH | POLINI |
| <b>ART. S8575</b><br>SHIMANO NX 11V. | MTB FULL 27,5" BOOST ALLOY 6061 HYDR. ESC. 140MM AXLE 12 | ROCK SHOX MONARCH RL | ROCK SHOX RECON RL 15/110 ESC. 150MM | SRAM NX            | NX1              | FSA 36T | NX 11-42         | TEKTRO M745 4 PISTONI 203/180   | WAG 10°X50 / WAG 780 | VKT BOOST 15/110 12/148          | SCHWALBE MAGIC MARY 27,5"*2,60 | SELLA ITALIA X-LR AIR-CROSS | TRANZX TELESOPICO MM 125 W/ REMOTE CONTROL | POLINI EP3 | POLINI 500WH | POLINI |





# IXION

ART.S8580 SHIMANO XT 11V.




**KG**  
23

**C913**  
NERO-VERDE



# SATHURN



| SIZE | 43  | 48  | 53  |
|------|-----|-----|-----|
| S    | 430 | 480 | 530 |
| A    | 559 | 586 | 623 |
| B    | 68° | 68° | 68° |
| C    | 73° | 73° | 73° |
| E    | 470 | 470 | 470 |
| H    | 130 | 130 | 130 |

## EQUIP- MENTS



|                                       |                                        |                                          |                     |                   |         |                   |                               |                         |                         |                                |                            |              |            |              |        |
|---------------------------------------|----------------------------------------|------------------------------------------|---------------------|-------------------|---------|-------------------|-------------------------------|-------------------------|-------------------------|--------------------------------|----------------------------|--------------|------------|--------------|--------|
| <b>ART. S8270</b><br>SHIMANO SLX 11V. | MTB FRONT 29" BOOST ALLOY 6061 AXLE 12 | ROCK SHOX REBA RL AXLE 15/110 ESC. 100MM | SHIMANO SLX M7000GS | SHIMANO SLX M7000 | FSA 36T | SHIMANO SLX 11-42 | SHIMANO M-506 180/160         | FSA COMET / FSA V-DRIVE | VKT XC29" 15/110 12/148 | SCHWALBE RACING RALPH 29"*2,25 | SELLA ITALIA X3 EBIKE FLOW | FSA GOSSAMER | POLINI EP3 | POLINI 500WH | POLINI |
| <b>ART. S8275</b><br>SHIMANO NX 11V.  | MTB FRONT 29" BOOST ALLOY 6061 AXLE 12 | ROCK SHOX JUDY S TK 15/110 ESC. 100MM    | SRAM NX             | NX1               | FSA 36T | NX 11-42          | TEKTRO M754 4 PISTONI 203/180 | ALLOY                   | VKT XC29" 15/110 12/148 | SCHWALBE RACING RALPH 29"*2,25 | SELLA ITALIA X3 EBIKE FLOW | ALLOY        | POLINI EP3 | POLINI 500WH | POLINI |



# SATHURN

ART.S8270 SHIMANO SLX 11V.




**KG**  
20,3

**C092**  
NERO-GIALLO

# E-ZEL

ART.S7560 SHIMANO DEORE 10V.



| SIZE | 42    | 48    |
|------|-------|-------|
| S    | 420   | 480   |
| A    | 586,6 | 615,7 |
| B    | 66°   | 66°   |
| C    | 74°   | 74°   |
| E    | 465   | 465   |
| H    | 130   | 130   |



24,6



**C973**  
NERO-ROSSO-BIANCO

**C029**  
NERO-VERDE ACIDO

## EQUIP- MENTS



**ART.  
S7560**  
SHIMANO  
DEORE 10V.

MTB FULL 27,5"  
BOOST ALLOY  
6061 HYDR.  
ESC. 140MM  
AXLE 12

ROCK SHOX  
MONARCH  
RL

ROCK SHOX  
RECON RL  
15/110 ESC.  
150MM

SHIMANO  
DEORE  
M6000GS

SHIMANO  
DEORE  
M6000

FSA 32T

SHIMANO  
DEORE 11-42

TEKTRO M745  
4 PISTONI  
203/180

ALLOY

VKT BOOST  
15/110  
12/148

SCHWALBE  
MAGIC MARY  
27,5"\*2,80

SELLA ITALIA  
X3 EBIKE  
FLOW

TRANZX  
TELESCOPICO  
MM 125 W/  
REMOTE  
CONTROL

BROSE  
DRIVE S


BMZ URV7  
INTEGRATA  
504WH

BROSE



# E-ZEL

ART.S7570 SHIMANO SLX 11V.



| SIZE | 42    | 48    |
|------|-------|-------|
| S    | 420   | 480   |
| A    | 586,6 | 615,7 |
| B    | 66°   | 66°   |
| C    | 74°   | 74°   |
| E    | 465   | 465   |
| H    | 130   | 130   |



24,4



**C973**  
NERO-ROSSO-BIANCO

**C029**  
NERO-VERDE ACIDO


## EQUIP- MENTS



|                                              |                                                                      |                            |                                               |                        |                      |         |                      |                                     |                         |                                            |                                      |                                    |                                                         |                  |                                |      |
|----------------------------------------------|----------------------------------------------------------------------|----------------------------|-----------------------------------------------|------------------------|----------------------|---------|----------------------|-------------------------------------|-------------------------|--------------------------------------------|--------------------------------------|------------------------------------|---------------------------------------------------------|------------------|--------------------------------|------|
| <b>ART.<br/>S7570</b><br>SHIMANO SLX<br>11V. | MTB FULL 27,5"<br>BOOST ALLOY<br>6061 HYDR.<br>ESC. 140MM<br>AXLE 12 | ROCK SHOX<br>MONARCH<br>RL | ROCK SHOX<br>RECON RL<br>15/110 ESC.<br>150MM | SHIMANO SLX<br>M7000GS | SHIMANO SLX<br>M7000 | FSA 32T | SHIMANO SLX<br>11-42 | TEKTRO M745<br>4 PISTONI<br>203/180 | WAG 10°X50 /<br>WAG 780 | MICHE XMH-<br>30 BOOST<br>SPECIAL<br>EBIKE | SCHWALBE<br>MAGIC MARY<br>27,5"*2,60 | SELLA ITALIA<br>X-LR AIR-<br>CROSS | TRANZX<br>TELESCOPICO<br>MM 125 W/<br>REMOTE<br>CONTROL | BROSE<br>DRIVE S | BMZ URV7<br>INTEGRATA<br>504WH | BOSE |
|----------------------------------------------|----------------------------------------------------------------------|----------------------------|-----------------------------------------------|------------------------|----------------------|---------|----------------------|-------------------------------------|-------------------------|--------------------------------------------|--------------------------------------|------------------------------------|---------------------------------------------------------|------------------|--------------------------------|------|

# BI-POWER 29"

ART.S7270 SHIMANO SLX 11V.



| SIZE | 43    | 48    | 53    |
|------|-------|-------|-------|
| S    | 432   | 480   | 533   |
| A    | 582   | 600   | 610   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 74°   | 74°   | 74°   |
| E    | 480   | 480   | 480   |
| H    | 165   | 165   | 180   |



22



**C097**  
NERO-ROSSO OPACO

**C913**  
NERO-VERDE-ARANCIO


## EQUIP- MENTS



|                                            |                                                    |                                                   |                             |                          |     |                        |                             |       |                               |                                      |                                  |       |               |                                |       |
|--------------------------------------------|----------------------------------------------------|---------------------------------------------------|-----------------------------|--------------------------|-----|------------------------|-----------------------------|-------|-------------------------------|--------------------------------------|----------------------------------|-------|---------------|--------------------------------|-------|
| <b>ART. S7270</b><br>SHIMANO SLX 11V.      | MTB FRONT 29" BOOST<br>ALLOY 6061<br>HYDR. AXLE 12 | ROCK SHOX<br>REBA RL AXLE<br>15/110 ESC.<br>100MM | SHIMANO SLX<br>M7000GS      | SHIMANO SLX<br>M7000     | 32T | SHIMANO SLX<br>11-40   | SHIMANO<br>M-506<br>180/160 | ALLOY | VKT XC-29<br>15/110<br>12/148 | SCHWALBE<br>RACING RALPH<br>29"X2.25 | SELLA ITALIA<br>X3 EBIKE<br>FLOW | ALLOY | BROSE DRIVE S | BMZ URV7<br>INTEGRATA<br>504WH | BROSE |
| <b>ART. S7250</b><br>SHIMANO<br>DEORE 10V. | MTB FRONT 29" BOOST<br>ALLOY 6061<br>HYDR. AXLE 12 | ROCK SHOX<br>JUDY STK<br>15/110 ESC.<br>100MM     | SHIMANO<br>DEORE<br>M6000GS | SHIMANO DE-<br>ORE M6000 | 32T | SHIMANO<br>DEORE 11-42 | SHIMANO<br>M-315<br>180/160 | ALLOY | VKT XC-29<br>15/110<br>12/148 | SCHWALBE<br>RACING RALPH<br>29"X2.25 | SELLA ITALIA<br>X3 EBIKE<br>FLOW | ALLOY | BROSE DRIVE S | BMZ URV7<br>INTEGRATA<br>504WH | BROSE |

# BI-POWER 27,5"

ART.S7150 SHIMANO DEORE 10V.



| SIZE | 43    | 48    | 53    |
|------|-------|-------|-------|
| S    | 432   | 480   | 533   |
| A    | 582   | 600   | 610   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 74°   | 74°   | 74°   |
| E    | 480   | 480   | 480   |
| H    | 165   | 165   | 180   |



23



**C097**  
NERO-ROSSO OPACO

**C913**  
NERO-VERDE-ARANCIO

## EQUIP- MENTS




|                                         |                                                      |                                                   |                          |                        |     |                      |                             |       |                               |                                     |                                  |       |               |                                |       |
|-----------------------------------------|------------------------------------------------------|---------------------------------------------------|--------------------------|------------------------|-----|----------------------|-----------------------------|-------|-------------------------------|-------------------------------------|----------------------------------|-------|---------------|--------------------------------|-------|
| <b>ART. S7170</b><br>SHIMANO SLX 11V.   | MTB FRONT 27,5" BOOST<br>ALLOY 6061<br>HYDR. AXLE 12 | ROCK SHOX<br>REBA RL AXLE<br>15/110 ESC.<br>100MM | SHIMANO SLX<br>M7000GS   | SHIMANO SLX<br>M7000   | 32T | SHIMANO SLX<br>11-40 | SHIMANO<br>M-506<br>180/160 | ALLOY | VKT BOOST<br>15/110<br>12/148 | SCHWALBE<br>SMART SAM<br>27,5"*2,60 | SELLA ITALIA<br>X3 EBIKE<br>FLOW | ALLOY | BROSE DRIVE S | BMZ URV7<br>INTEGRATA<br>504WH | BROSE |
| <b>ART. S7150</b><br>SHIMANO DEORE 10V. | MTB FRONT 27,5" BOOST<br>ALLOY 6061<br>HYDR. AXLE 12 | ROCK SHOX<br>JUDY S TK<br>15/110 ESC.<br>100MM    | SHIMANO DEORE<br>M6000GS | SHIMANO DEORE<br>M6000 | 32T | SHIMANO DEORE 11-42  | SHIMANO<br>M-315<br>180/160 | ALLOY | VKT BOOST<br>15/110<br>12/148 | SCHWALBE<br>SMART SAM<br>27,5"*2,60 | SELLA ITALIA<br>X3 EBIKE<br>FLOW | ALLOY | BROSE DRIVE S | BMZ URV7<br>INTEGRATA<br>504WH | BROSE |



# E-SHIVER

ART.S6680 SHIMANO DEORE 10V.



| SIZE | 44  | 48  |
|------|-----|-----|
| S    | 440 | 480 |
| A    | 575 | 595 |
| B    | 67° | 67° |
| C    | 71° | 71° |
| E    | 485 | 485 |
| H    | 170 | 170 |

## EQUIP- MENTS



**ART.  
S6680**  
SHIMANO  
DEORE 10V.

FULL SUSPEN-  
SION ALLOY  
6061 HYDR.  
ESC. 120MM  
AXLE 12

SUNTOUR  
RAIDON LO

SUNTOUR  
XCR 32 AIR

SHIMANO  
DEORE  
M6000GS

SHIMANO  
DEORE  
M6000

BAFANG 38T

SHIMANO  
DEORE 11-42

SHIMANO  
M-315  
180/160

ALLOY

VKT VAPOR  
AXLE 15/12

SCHWALBE  
SMART SAM  
27,5X2.60

SELLA ITALIA  
X3 EBIKE  
FLOW

ALLOY

BAFANG MAX  
DRIVE

ANSMANN  
INTEGRATA  
504WH

BAFANG  
LCD C171

# E-SHIVER

ART.S6680 SHIMANO DEORE 10V.



25



**C097**


NERO-ROSSO OPACO

**C913**

NERO-VERDE OPACO

# KRUG

ART.S6370 SHIMANO DEORE 10V.



| SIZE | 46    |
|------|-------|
| S    | 460   |
| A    | 580   |
| B    | 70°   |
| C    | 71,6° |
| E    | 490   |
| H    | 125   |



24,2



**C092**  
NERO-GIALLO OPACO

**C913**  
NERO-VERDE OPACO

## EQUIP- MENTS



**ART.  
S6370**  
SHIMANO  
DEORE 10V.

FULL SUSPEN-  
SION ALLOY  
6061 HYDR.  
ESC. 120MM  
AXLE 12

ROCK SHOX  
MONARCH RL

ROCK SHOX  
JUDYTK ESC.  
120MM

SHIMANO  
DEORE  
M6000GS

SHIMANO  
DEORE  
M6000

BAFANG 38T

SHIMANO  
DEORE 11-42

SHIMANO  
M-315  
180/160

ALLOY

VKT VAPOR  
AXLE 15/12

SCHWALBE  
SMART SAM  
27,5X2.60

SELLA ITALIA  
X3 EBIKE  
FLOW

ALLOY

BAFANG MAX  
DRIVE


ANSMANN AL  
DT 522WH

BAFANG  
LCD C171



# E-TRADE

ART.S6670 SHIMANO DEORE 10V.



| SIZE | 44  | 47  | 52  |
|------|-----|-----|-----|
| S    | 440 | 470 | 520 |
| A    | 610 | 625 | 640 |
| B    | 68° | 68° | 68° |
| C    | 70° | 70° | 70° |
| E    | 495 | 495 | 495 |
| H    | 175 | 175 | 175 |



24



**C092**  
NERO-GIALLO OPACO

**C067**  
NERO-BLU-ROSSO

## EQUIP- MENTS



**ART.  
S6670**  
SHIMANO  
DEORE 10V.

BOOST ALLOY  
6061 HYDR.  
AXLE 12

ROCK SHOX  
JUDY SILVER  
BOOST 15/110  
ESC. 100MM

SHIMANO  
DEORE  
M6000GS

SHIMANO  
DEORE M6000

BAFANG 38T

SHIMANO  
DEORE 11-42

SHIMANO  
M-315  
180/160

ALLOY

VKT BOOST  
AXLE 15/12

SCHWALBE  
ROCKET RON  
27,5X3.00

SELLA ITALIA  
X3 EBIKE  
FLOW

ALLOY


BAFANG MAX  
DRIVE

ANSMANN  
INTEGRATA  
504WH

BAFANG LCD  
C171

# E-VORT 29"

ART.S6590 SHIMANO DEORE 10V.



| SIZE | 42    | 47    | 52    |
|------|-------|-------|-------|
| S    | 420   | 470   | 520   |
| A    | 575   | 590   | 605   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 74°   | 74°   | 74°   |
| E    | 480   | 480   | 480   |
| H    | 165   | 165   | 165   |



24



**C136**  
LIME-BLU

**C930**  
NERO-ARANCIO OPACO

## EQUIP- MENTS



**ART.  
S6590**  
SHIMANO  
DEORE 10V.

ALLOY 6061

ROCK SHOX  
XC30S TK ESC.  
100MM

SHIMANO  
DEORE  
M6000GS

SHIMANO  
DEORE M6000

BAFANG 38T

SHIMANO  
DEORE 11-42

SHIMANO  
M-315  
180/160

ALLOY

VKT XC-29 Q/R

SCHWALBE  
SMART SAM  
29X2.25

SELLA ITALIA  
X-BASE

ALLOY


BAFANG MAX  
DRIVE

ANSMANN  
INTEGRATA  
504WH

BAFANG LCD  
C171

# E-VORT 27,5"

ART.S6570 SHIMANO DEORE 10V.



| SIZE | 42    | 47    | 52    |
|------|-------|-------|-------|
| S    | 420   | 470   | 520   |
| A    | 575   | 590   | 605   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 74°   | 74°   | 74°   |
| E    | 480   | 480   | 480   |
| H    | 165   | 165   | 165   |



23,8



C136  
LIME-BLU

C930  
NERO-ARANCIO OPACO

## EQUIP- MENTS



**ART.  
S6570**  
SHIMANO  
DEORE 10V.

ALLOY 6061

SUNTOUR  
XCM RL

SHIMANO  
DEORE  
M6000GS

SHIMANO  
DEORE M6000

BAFANG 38T

SHIMANO  
DEORE 11-42

SHIMANO  
M-315  
180/160

ALLOY

VKT VAPOR  
Q/R

SCHWALBE  
SMART SAM  
27,5" \* 2,60

SELLA ITALIA  
X-BASE

ALLOY

BAFANG MAX  
DRIVE


ANSMANN  
INTEGRATA  
504WH

BAFANG LCD  
C171



# E-RAIL

ART.S6500-M SHIMANO DEORE 10V.



| SIZE | 50    | 55    |
|------|-------|-------|
| S    | 500   | 550   |
| A    | 600   | 620   |
| B    | 69,5° | 69,5° |
| C    | 73°   | 73°   |
| E    | 480   | 480   |
| H    | 195   | 195   |

**KG**  
25,8

**C009**  
NERO



## EQUIP- MENTS



**ART.  
S6500-M**  
SHIMANO  
DEORE 10V.

TRK 28" ALLOY  
6061

SUNTOUR  
NEX RL

SHIMANO  
DEORE  
M6000GS

SHIMANO DE-  
ORE M6000

BAFANG 38T

SHIMANO  
DEORE 11-42

TEKTRO  
M275 HYDR.  
160/160

ALLOY

VKT XC-29 Q/R

700X40  
REFLEX ANTI-  
FORATURA

ROYAL  
SHADOW

ALLOY


BAFANG MAX  
DRIVE

ANSMANN  
INTEGRATA  
504WH

BAFANG LCD  
C171

# E-RAIL

ART.S6500-L SHIMANO DEORE 10V.



| SIZE | 44    | 48    |
|------|-------|-------|
| S    | 440   | 480   |
| A    | 590   | 605   |
| B    | 69,5° | 69,5° |
| C    | 73°   | 73°   |
| E    | 480   | 480   |
| H    | 195   | 195   |

**KG**  
25,8

**C009**  
NERO



## EQUIP- MENTS



**ART.**  
**S6500-L**  
SHIMANO  
DEORE 10V.

TRK 28" ALLOY  
6061

SUNTOUR  
NEX RL

SHIMANO  
DEORE  
M6000GS

SHIMANO DE-  
ORE M6000

BAFANG 38T

SHIMANO  
DEORE 11-42

TEKTRO  
M275 HYDR.  
160/160

ALLOY

VKT XC-29 Q/R

700X40  
REFLEX ANTI-  
FORATURA

ROYAL  
SHADOW

ALLOY

BAFANG MAX  
DRIVE

ANSMANN  
INTEGRATA  
504WH

BAFANG LCD  
C171

# E-LUNAPIENA

ART.S6930-M ACERA 7V. STI



H49

H54



24



C004  
GRIGIO

C009  
NERO

## EQUIP- MENTS



**ART.  
S6930-M**  
ACERA 7V. STI

ALLOY 6061

CH-141 AMS

SHIMANO  
ACERA

SHIMANO  
SLM310

BAFANG 38T

SHIMANO

TEKTRO  
M275 HYDR.  
160/160

ALLOY REGO-  
LABILE

VKT XC-29

700X40  
REFLEX ANTI-  
FORATURA

ROYAL RIO

ALLOY

BAFANG MAX  
DRIVE

ANSMANN AL  
PORTAPACCO  
417WH

BAFANG LCD  
C07



# E-LUNAPIENA

ART.S6930-L ACERA 7V. STI



H44

H48



24



C001  
PANNA



C009  
NERO

## EQUIP- MENTS



**ART.  
S6930-L**  
ACERA 7V. STI

ALLOY 6061

CH-141 AMS

SHIMANO  
ACERA

SHIMANO  
SLM310

BAFANG 38T

SHIMANO

TEKTRO  
M275 HYDR.  
160/160

ALLOY REGO-  
LABILE

VKT XC-29

700X40  
REFLEX ANTI-  
FORATURA

ROYAL RIO

ALLOY

BAFANG MAX  
DRIVE

ANSMANN AL  
PORTAPACCO  
417WH

BAFANG LCD  
C07

# E-THEA

ART.S6931 ACERA 7V. STI



## EQUIP- MENTS



**ART.  
S6931**  
ACERA 7V. STI

ALLOY 6061

CH-141 AMS

SHIMANO  
ACERA

SHIMANO  
SLM310

BAFANG 38T

SHIMANO

TEKTRO  
M275 HYDR.  
160/160

ALLOY REGO-  
LABILE

VKT XC-29

700X40  
REFLEX ANTI-  
FORATURA

ROYAL RIO

ALLOY

BAFANG MAX  
DRIVE

ANSMANN AL  
PORTAPACCO  
417WH

BAFANG LCD  
C07

# E-THEA

ART.S6931 ACERA 7V. STI



H  
H  
H  
H46

KG  
24,2


C003  
BIANCO

C009  
NERO



# E-JET TRK MAN

ART.S5100-M ACERA 8V. STI



| SIZE | 59    | 53    | 57    |
|------|-------|-------|-------|
| S    | 490   | 530   | 570   |
| A    | 580   | 600   | 620   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 73°   | 73°   | 73°   |
| E    | 465   | 465   | 465   |
| H    | 130   | 140   | 150   |



23,5



C009  
NERO

## EQUIP- MENTS



**ART.  
S5100-M**  
ACERA 8V.STI

ALLOY 6061  
HYDROF.

RST NEON ML

SHIMANO  
ACERA

SHIMANO  
SLM310

SHIMANO  
E5000 38T

SHIMANO  
11-36

TEKTRO  
M275 HYDR.  
160/160

ALLOY  
REGOLABILE

VKT XC-29

700X45 REFLEX  
ANTIFORATURA

ROYAL RIO

ALLOY

SHIMANO  
E5000

SHIMANO  
BT E-8014  
418WH

SHIMANO  
SC E-5000

**ART.  
S5105-M**  
SH INTER 5

ALLOY 6061  
HYDROF.

RST NEON ML

SHIMANO  
INTER 5

SHIMANO  
REVO

SHIMANO  
E5000 38T

SHIMANO  
27T

TEKTRO  
M275 HYDR.  
160/160

ALLOY  
REGOLABILE

VKT XC-29

700X45 REFLEX  
ANTIFORATURA

ROYAL RIO

ALLOY


SHIMANO  
E5000

SHIMANO  
BT E-8014  
418WH

SHIMANO  
SC E-5000

# E-JET TRK LADY

ART.S5100-L ACERA 8V. STI



| SIZE | 42    | 46    | 50    |
|------|-------|-------|-------|
| S    | 420   | 460   | 500   |
| A    | 575   | 595   | 605   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 73°   | 73°   | 73°   |
| E    | 465   | 465   | 465   |
| H    | 150   | 160   | 170   |



23,5



C009  
NERO

## EQUIP- MENTS



**ART.  
S5100-L**  
ACERA 8V.STI

ALLOY 6061  
HYDROF.

RST NEON ML

SHIMANO  
ACERA

SHIMANO  
SLM310

SHIMANO  
E5000 38T

SHIMANO  
11-36

TEKTRO  
M275 HYDR.  
160/160

ALLOY  
REGOLABILE

VKT XC-29

700X45 REFLEX  
ANTIFORATURA

ROYAL RIO

ALLOY

SHIMANO  
E5000

SHIMANO  
BT E-8014  
418WH

SHIMANO  
SC E-5000

**ART.  
S5105-L**  
SH INTER 5

ALLOY 6061  
HYDROF.

RST NEON ML

SHIMANO  
INTER 5

SHIMANO  
REVO

SHIMANO  
E5000 38T

SHIMANO  
27T

TEKTRO  
M275 HYDR.  
160/160

ALLOY  
REGOLABILE

VKT XC-29

700X45 REFLEX  
ANTIFORATURA

ROYAL RIO

ALLOY


SHIMANO  
E5000

SHIMANO  
BT E-8014  
418WH

SHIMANO  
SC E-5000

# E-JET CITY

ART.S5000 ACERA 8V. STI



| SIZE | 42    | 46    | 50    |
|------|-------|-------|-------|
| S    | 420   | 460   | 500   |
| A    | 570   | 590   | 610   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 73°   | 73°   | 73°   |
| E    | 465   | 465   | 465   |
| H    | 150   | 160   | 170   |

**KG**  
23,6

**C009**  
NERO

## EQUIP- MENTS



**ART.  
S5000**  
ACERA 8V.STI

ALLOY 6061  
HYDROF.

RST NEON ML

SHIMANO  
ACERA

SHIMANO  
SLM310

SHIMANO  
E5000 38T

SHIMANO  
11-36

TEKTRO  
M275 HYDR.  
160/160

ALLOY REGO-  
LABILE

VKT XC-29

700X45  
REFLEX ANTI-  
FORATURA

ROYAL RIO

ALLOY

SHIMANO  
E5000


SHIMANO  
BT E-8014  
418WH

SHIMANO SC  
E-5000



# E-JET CITY

ART.S5005 SH INTER 5



| SIZE | 42    | 46    | 50    |
|------|-------|-------|-------|
| S    | 420   | 460   | 500   |
| A    | 570   | 590   | 610   |
| B    | 70,5° | 70,5° | 70,5° |
| C    | 73°   | 73°   | 73°   |
| E    | 465   | 465   | 465   |
| H    | 150   | 160   | 170   |

**KG**  
23,8

**C009**  
NERO

## EQUIP- MENTS



**ART.  
S5005**  
SH INTER 5

ALLOY 6061  
HYDROF.

RST NEON ML

SHIMANO  
INTER 5

SHIMANO  
REVO

SHIMANO  
E5000 38T

SHIMANO  
27T

TEKTRO  
M275 HYDR.  
160/160

ALLOY  
REGOLABILE

VKT XC-29

700X45  
REFLEX  
ANTIFO-  
RATURA

ROYAL RIO

ALLOY

SHIMANO  
E5000

SHIMANO  
BT E-8014  
418WH

SHIMANO  
SC E-5000

# E-JET MTB 24"

ART.S5200 ACERA 7V. STI



| EQUIP-<br>MENTS                       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ART.<br/>S5200</b><br>ACERA 7V.STI | ALLOY 6061<br>HYDROF.                                                               | SUNTOUR XCT<br>HLO                                                                  | SHIMANO<br>ACERA                                                                    | SHIMANO<br>SLM310                                                                   | SHIMANO<br>E5000 38T                                                                | SHIMANO<br>14-34                                                                    | TEKTRO M275<br>HYDR. 160/160                                                          | HI-TEN/ALLOY                                                                          | MTB DOPPIA<br>CAMERA                                                                  | 24"*2,40                                                                                                    | ALLOY                                                                                 | SHIMANO<br>E5000                                                                      | SHIMANO BT<br>E-8014 418WH                                                            | SHIMANO SC<br>E-5000                                                                  |

# E-JET MTB 24"

ART.S5200 ACERA 7V. STI

**KG**  
20,5

**C639**  
NERO-BLU-ARANCIO

**C913**  
NERO-BLU-LIME





# E-BLUECITY MAN

ART.S3925-M TY-300 6V.



H49

H54



23,2



C006

BLU NOTTE OPACO

C009

NERO OPACO

## EQUIP- MENTS



ALLOY 28"



CH-141 AMS



SHIMANO  
TY-300



SHIMANO REVO  
6V.



42X170 ALLOY



SHIMANO TZ20



V-BRAKE ALLOY



ALLOY REGO-  
LABILE



ALLOY DOPPIA  
CAMERA



700X40 REFLEX  
ANTIFORATURA



ALLOY



PROMOVEC



PROMOVEC AL  
PORTAPACCO  
396WH



PROMOVEC LCD

# E-BLUECITY LADY

ART.S3925-L TY-300 6V.



H44

H48



23,2



C001  
PANNA

C009  
NERO

C003  
BIANCO

## EQUIP- MENTS



**ART.  
S3925-L**  
TY-300 6V.

ALLOY 28"

CH-141 AMS

SHIMANO  
TY-300

SHIMANO REVO  
6V.

42X170 ALLOY

SHIMANO TZ20

V-BRAKE ALLOY

ALLOY REGO-  
LABILE

ALLOY DOPPIA  
CAMERA

700X40 REFLEX  
ANTIFORATURA

ALLOY

PROMOVEC

PROMOVEC AL  
PORTAPACCO  
396WH

PROMOVEC LCD

# E-AYDA 26"

ART.S3626 TY-300 6V.



| EQUIP-<br>MENTS                 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ART. S3626</b><br>TY-300 6V. | ALLOY<br>MONOTRAVE<br>26"                                                                    | CH-141 AMS                                                                          | SHIMANO<br>TY-300                                                                   | SHIMANO REVO<br>6V.                                                                 | 42X170 ALLOY                                                                        | SHIMANO TZ20                                                                        | V-BRAKE ALLOY                                                                         | ALLOY REGO-<br>LABILE                                                                 | ALLOY DOPPIA<br>CAMERA                                                                | 26*1,75 REFLEX<br>ANTIFORATURA                                                        | ALLOY                                                                                 | PROMOVEC                                                                              | PROMOVEC AL<br>PORTAPACCO<br>396WH                                                    | PROMOVEC LCD                                                                          |



# E-AYDA 26"

ART.S3626 TY-300 6V.



H43



23,2



C009

NERO

C003

BIANCO

C098

NERO-AMARANTO

C046

SILVER-AZZURRO

# E-AYDA 28"

ART.S3628 TY-300 6V.



## EQUIP- MENTS



**ART.  
S3628**  
TY-300 6V.

ALLOY  
MONOTRAVE  
28"

CH-141 AMS

SHIMANO  
TY-300

SHIMANO REVO  
6V.

42X170 ALLOY

SHIMANO TZ20

V-BRAKE ALLOY

ALLOY REGO-  
LABILE

ALLOY DOPPIA  
CAMERA

700X40 REFLEX  
ANTIFORATURA

ALLOY

PROMOVEC

PROMOVEC AL  
PORTAPACCO  
396WH

PROMOVEC LCD

# E-AYDA 28"

ART.S3628 TY-300 6V.



H46



23,2



C009  
NERO

C003  
BIANCO

C004  
GRIGIO

C096  
NERO-AZZURRO

C048  
SILVER-AMARANTO





# SW7

ART.S4320 FOLDING 20" 6V.



**KG**  
20

**C009**  
NERO

## EQUIP- MENTS



**ART.  
S4320**  
6V.

FOLDING ALLOY

AMMORTIZZATA

SHIMANO TY-21

SHIMANO REVO  
6V.

42X170 ALLOY

SHIMANO TZ20

V-BRAKE ALLOY

ALLOY

ALLOY DOPPIA  
CAMERA

20X1,75

ALLOY

ANSMANN  
RM5.2

ANSMANN AL  
PORTAPACCO  
418WH

ANSMANN LCD