



LEGGERO E RIGIDO

Il telaio monoscocca è realizzato da uno stampo unico, quindi non ci sono giunzioni tra i tubi, come incollaggi o fasciature o saldature (alluminio), dove si concentrano gli sforzi della struttura. Vantaggio per eccellenza: il peso. La lavorazione in uno stampo unico di grandi dimensioni permette di trattare la struttura come se fosse un tubo unico. Il principale valore della fibra di carbonio è che può essere orientata in modo da fornire rigidità o flessibilità nei punti critici del telaio a seconda delle esigenze progettuali. Questo consente di creare telai molto reattivi ma anche in grado di assorbire le vibrazioni e allo stesso tempo di risparmiare materiale laddove non serve riducendo in questo modo il peso.

LIGHTER AND STIFFER

The monocoque frame is made from a single mold, there are no joints between the pipes, such as gluing or bandages or welds (aluminum), where the efforts of the structure are concentrated. Advantage par excellence: weight. Processing in a single large mold allows the structure to be treated as if it were a single tube. The main value of carbon fiber is that it can be oriented so as to provide stiffness or flexibility in the critical points of the frame according to the design needs. This allows you to create frames that are very reactive but also capable of absorbing vibrations and at the same time saving material where it is not needed, thus reducing weight.

WHISTLE B-RUSH C9.1



PERFORMANCE CX CRUISE

POWERTUBE 625

KIOX

29"

12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Fox 38 Float Performance, 150 mm, Air, Tapered, FIT4, 3Pos-Adj, 15x110 mm, E-Bike chassis
REAR SHOCK	Fox Float X2 Performance, LSC, LSR, 230x65
HEADSET	FSA No.57E tapered 1"1/2
CRANKSET	Miche Black Box, FSA 36T MegaTooth
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano XT SL-M8100 Rapidfire-Plus, 12s
BRAKES	Shimano XT BR-M8120, Four piston, Rotor RT-MT800 203 mm/203 mm
CASSETTE	Shimano CS-M7100 12s 10/51
PEDALS	Alu MTB Full
WHEELS	Shimano XT WH-M8120
STEM	Race Face Chester, 40 mm, Bar bore 35 mm
HANDLEBAR	Race Face Chester, 780 mm, Rise 20
SEATPOST	Race Face Aeffect R, 31,6 mm, remote
SADDLE	Fizik Taiga
TYRES	F: Schwalbe Magic Mary Evo, Addix Soft, Super Trail, 29"x2,60" R: Schwalbe Eddy Current Rear Evo, Addix Soft, Super Gravity, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	4 A
CHARGE TIME	Up to 5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

ARBON MATT/CHROME	
16" - 40 cm	0116830100
17,5" - 44 cm	0116830110
19" - 48 cm	0116830120
20,5" - 52 cm	0116830130

WEIGHT Kg 25,3

€ 6.099,00

B-RUSH C8.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 KIOX

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Fox 36 Float Rhythm, 150 mm, Air, Tapered, FIT GRIP Sweep-Adj, 15x110 mm, E-Bike chassis
REAR SHOCK	Fox Float DPX2 Performance, EVOL, LV, 3-Pos, 230x65 mm
HEADSET	FSA No.57E tapered 1"1/2
CRANKSET	Miche Black Box, FSA 34T MegaTooth
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano SLX SL-M7100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT520, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
WHEELS	Shimano SLX WH-MT620
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DP01, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	F: Schwalbe Magic Mary Evo, Addix Soft, Super Trail, 29"x2,60" R: Schwalbe Hans Dampf Evo, Addix Soft, Super Trail, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	4 A
CHARGE TIME	Up to 5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/BLACK	
16" - 40 cm	0116830200
17,5" - 44 cm	0116830210
19" - 48 cm	0116830220
20,5" - 52 cm	0116830230

WEIGHT

Kg 24,9

€ 5.299,00

B-RUSH C7.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Fox 34 Float Rhythm, 140 mm, Air, Tapered, FIT GRIP Sweep-Adj, 15x110 mm, E-Bike chassis
REAR SHOCK	Rock Shox Deluxe Select R, DebonAir, 230x65 mm
HEADSET	FSA No.57E tapered 1"1/2
CRANKSET	Miche Black Box, FSA 34T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano SLX SL-M7100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X30, 30x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DP01, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	4 A
CHARGE TIME	Up to 5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/CHROME	
16" - 40 cm	0116830350
17,5" - 44 cm	0116830360
19" - 48 cm	0116830370
20,5" - 52 cm	0116830380

WEIGHT

Kg 24,4

€ 4.699,00

WHISTLE

B-RUSH C6.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Deluxe Select R, DebonAir, 230x65 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T MegaTooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X30, 30x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/FANCY BLUE	
16" - 40 cm	0116830400
17,5" - 44 cm	0116830410
19" - 48 cm	0116830420
20,5" - 52 cm	0116830430

WEIGHT

Kg 24,5

€ 4.499,00

WHISTLE

B-RUSH C4.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Deluxe Select R, DebonAir, 230x65 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X30, 30x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/BLACK	
16" - 40 cm	0116830500
17,5" - 44 cm	0116830510
19" - 48 cm	0116830520
20,5" - 52 cm	0116830530

WEIGHT

Kg 23,9

€ 4.099,00



WHISTLE

B-RUSH A9.1

 **BOSCH**  PERFORMANCE CX CRUISE  POWERTUBE 625  KIOX  29"  12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DP01, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

PASTEL BLUE MATT/PASTEL LIGHT GREY	
16" - 40 cm	0116830800
17,5" - 44 cm	0116830810
19" - 48 cm	0116830820
20,5" - 52 cm	0116830830

WEIGHT Kg 26,5

€ 4.149,00

WHISTLE

B-RUSH A8.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

BLACK MATT/ORANGE	
16" - 40 cm	0116830900
17,5" - 44 cm	0116830910
19" - 48 cm	0116830920
20,5" - 52 cm	0116830930

WEIGHT

Kg 26,8

€ 3.949,00

WHISTLE

B-RUSH A7.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Rock Shox Judy Silver TK, 130 mm, Maxle Lite 15x110 mm, SoloAir, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

DARK BLUE MATT/CHROME	
16" - 40 cm	0116831000
17,5" - 44 cm	0116831010
19" - 48 cm	0116831020
20,5" - 52 cm	0116831030

WEIGHT

Kg 26,8

€ 3.699,00

B-RUSH A6.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Suntour XCM34, 130 mm, 15x110 mm, Coil, Tapered, Lockout
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT410, Two piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

PASTEL BLUE MATT/PASTEL LIGHT GREY	
16" - 40 cm	0116831100
17,5" - 44 cm	0116831110
19" - 48 cm	0116831120
20,5" - 52 cm	0116831130

WEIGHT

Kg 26

€ 3.299,00

B-RUSH A5.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 10 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Suntour XCM34, 130 mm, 15x110 mm, Coil, Tapered, Lockout
REAR SHOCK	Suntour Raidon, 230x65 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano Deore RD-M5120, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M4100 Rapidfire-Plus, 10s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M4100 10s 11/46
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Whistle Performance
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

BLACK MATT/ORANGE	
16" - 40 cm	0116831200
17,5" - 44 cm	0116831210
19" - 48 cm	0116831220
20,5" - 52 cm	0116831230

WEIGHT

Kg 26

€ 2.999,00

MOUNTAINBIKES

E HARDTAIL

Pedalare fino alla cima e attaccare velocemente le discese più tecniche alla massima velocità. Le nostre eEnduro sono costruite per le competizioni, ma grazie alle robuste sospensioni, sono agili e divertenti anche sui sentieri vicino a casa.

Ride to the top and quickly attack the most technical descents at maximum speed. Our eMtb's are built for E-Enduro competitions but thanks to the sturdy suspensions, they are agile and fun even on trails near home.



WHISTLE B-RACE A9.1

BOSCH PERFORMANCE CX CRUISE POWERTUBE 625 PURION 29" 12 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCR32, 100 mm, Coil, 15x100, Tapered, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano Alivio MT400, 15x100, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

ANTHRACITE/BLACK MATT	
16" - 40 cm	0116832000
18" - 46 cm	0116832010
20" - 50 cm	0116832020

WEIGHT Kg 27,5

€ 2.999,00

WHISTLE

B-RACE A8.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 12 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCR32, 100 mm, Coil, Tapered, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

FLAT GREY/NEON RED	
16" - 40 cm	0116832100
18" - 46 cm	0116832110
20" - 50 cm	0116832120

WEIGHT

Kg 26,8

€ 2.699,00

WHISTLE

B-RACE A7.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 10 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, Miche 34T
REAR DERAILLEUR	Shimano Deore RD-M5120, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M4100 Rapidfire-Plus, 10s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M4100 10s 11/46
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

ORANGE/BLACK	
16" - 40 cm	0116832200
18" - 46 cm	0116832210
20" - 50 cm	0116832220
WHITE/ANTHRACITE MATT	
16" - 40 cm	0116832203
18" - 46 cm	0116832213
20" - 50 cm	0116832223



WEIGHT

Kg 26,8

€ 2.499,00

WHISTLE

B-RACE A6.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERPACK 500

 PURION

 29"

 9 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil
HEADSET	FSA No.57BP ZS-1 for 1"1/8 steerer
CRANKSET	Miranda, 34T
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Alu, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 500, frametype, weight 2,6 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %
ANTHRACITE/GREEN MATT	
16" - 40 cm	0116832400
18" - 46 cm	0116832410
20" - 50 cm	0116832420

WEIGHT Kg 26,6

€ 2.299,00

WHISTLE

B-RACE A5.1

 **AM-80**

 ENERGYTUBE 500

 AM LCD

 29"

 12 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCR32, 100 mm, Coil, Tapered, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	AM-80 36 V, 250 W
MAX TORQUE	80 Nm
SENSOR TYPE	Torque
BATTERY	EnergyTube 500, frametype, weight 2,9 kg
CHARGER TYPE	2 A
CHARGE TIME	up to 7 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	AM LCD
POWER	Mode 1: 50% Mode 2: 100% Mode 3: 200% Mode 4: 300% Mode 5: 400%
FLAT GREY/NEON RED	
16" - 40 cm	0116832500
18" - 46 cm	0116832510
20" - 50 cm	0116832520

WEIGHT Kg 26,6

€ 2.049,00

Atala

B-CROSS A7.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 **POWERTUBE 500**

 **PURION**

 29"

 10 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, Miche 34T
REAR DERAILLEUR	Shimano Deore RD-M5120, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M4100 Rapidfire-Plus, 10s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M4100 10s 11/46
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %
ANTHRACITE/BLACK MATT	
16" - 40 cm	0115296000
18" - 46 cm	0115296010
20" - 50 cm	0115296020

WEIGHT

Kg 26,8

€ 2.499,00

Atala

B-CROSS A6.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 **POWERPACK 500**

 **PURION**

 29"

 9 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil
HEADSET	FSA No.57BP ZS-1 for 1"1/8 steerer
CRANKSET	Miranda, 34T
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Alu, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 500, frametype, weight 2,6 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %
ULTRALIGHT/RED	
16" - 40 cm	0115296100
18" - 46 cm	0115296110
20" - 50 cm	0115296120

WEIGHT

Kg 26,6

€ 2.299,00

Atala

B-CROSS A5.1

	 AM-80	 ENERGYTUBE 500	 AM LCD	 29"	 12 S
--	---	--	---	---	--



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCR32, 100 mm, Coil, Tapered, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	AM-80 36 V, 250 W
MAX TORQUE	80 Nm
SENSOR TYPE	Torque
BATTERY	EnergyTube 500, frametype, weight 2,9 kg
CHARGER TYPE	2 A
CHARGE TIME	up to 7 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	AM LCD
POWER	Mode 1: 50% Mode 2: 100% Mode 3: 200% Mode 4: 300% Mode 5: 400%

ANTHRACITE/BLACK MATT	
16" - 40 cm	0115296200
18" - 46 cm	0115296210
20" - 50 cm	0115296220

WEIGHT	Kg 27,2	€ 2.049,00
--------	---------	------------

Atala

B-CROSS A4.1

	 PERFORMANCE CRUISE	 POWERPACK 400	 PURION	 29"	 9 S
---	--	---	--	---	---



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil
HEADSET	FSA No.10
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Rodi Blackrock 23, 23x622, 32h ebike ready
STEM	Alu, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 400, frametype, weight 2,6 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %

WHITE/RED	
16" - 40 cm	0115296250
18" - 46 cm	0115296260
20" - 50 cm	0115296270

ANTHRACITE/RED MATT	
16" - 40 cm	0115296253
18" - 46 cm	0115296263
20" - 50 cm	0115296273



WEIGHT	Kg 26,9
--------	---------

€ 1.999,00

Atala

B-CROSS A3.1

	 AM-80	 ENERGYTUBE 500	 AM LCD	 29"	 9 S
--	---	--	---	---	---



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	Miranda, 34T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR MT200, rotor SM-RT 180/180mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Mach
TYRES	F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

Atala

CRAB

	 AM80 AGILE CAN	 418WH	 A15 LED	 24"	 9 S
---	--	---	---	---	---



FRAME	Alu. Hydroformed 24", integrated battery, internal cables
FORK	Suntour XCT JR 24", alu with alu crown, 80mm
HEADSET	FSA integrated 1"1/8
CRANKSET	AM80 alu 152mm, FSA 36T, FSA alu bash guard
REAR DERAILLEUR	Shimano Altus RD-M2000
SHIFTERS LEVERS	Shimano Altus SL-M2010, 9s
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 160 mm CL
CASSETTE	Shimano HG200 9s 11-36
PEDALS	Alu MTB
HUB	Shimano TX505 32h, CL, quick release
RIMS	Rodi 24", double wall, 32h, disc
STEM	Alu over, ahead, 60mm
HANDLEBAR	Alu over, rise 25mm, 640mm
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	MTB Junior
TYRES	Schwalbe Black Jack 24"x2,10"

WEIGHT	Kg 20,3	€ 1.549,00
--------	---------	------------



WHISTLE

SPEED URBAN C9.1 MAN

BOSCH PERFORMANCE CX CRUISE POWERTUBE 500 & 625 KIOX 29C 12 S



FRAME	Full Carbon 29", Toray T700, dual integrated battery, oversize head tube, 12x148 mm E-Thru
FORK	Carbon, Tapered 1 1/2", 15x110
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 38T, MegaTooth
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu TKK
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Essenza Moderate
TYRES	Schwalbe Energizer Plus, Performance, GreenGuard, TwinSkin, 700x55

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal & Powertube 625 Horizontal
CHARGER TYPE	4 A
CHARGE TIME	Up to 9,4 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

BLACK/ANTHRACITE MATT	
19" - 48 cm	0116832810
20,5" - 52 cm	0116832820

WEIGHT	Kg 27,8	€ 5.499,00
--------	---------	------------

SPEED URBAN C8.1 MAN

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500 & 625

 INTUVIA

 29C

 12 S



FRAME	Full Carbon 29", Toray T700, dual integrated battery, oversize head tube, 12x148 mm E-Thru
FORK	Rock Shox 35 Silver R, 100 mm, Maxle Lite 15x110 mm, Coil, Tapered, Lockout, E-Bike
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 38T, MegaTooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Essenza Moderate
TYRES	Schwalbe Smart Sam, K-Guard, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal & Powertube 625 Horizontal
CHARGER TYPE	4 A
CHARGE TIME	Up to 9,4 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	INTUVIA
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

BLACK/ANTHRACITE MATT	
19" - 48 cm	0116832910
20,5" - 52 cm	0116832920

WEIGHT

Kg 28,3

€ 4.999,00

SPEED URBAN C8.1 LADY

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500 & 625

 INTUVIA

 29C

 12 S



FRAME	Full Carbon 29", Toray T700, dual integrated battery, oversize head tube, 12x148 mm E-Thru
FORK	Rock Shox 35 Silver R, 100 mm, Maxle Lite 15x110 mm, Coil, Tapered, Lockout, E-Bike
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 38T, MegaTooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Essenza Moderate
TYRES	Schwalbe Smart Sam, K-Guard, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal & Powertube 625 Horizontal
CHARGER TYPE	4 A
CHARGE TIME	Up to 9,4 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	INTUVIA
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

BLACK/ANTHRACITE MATT	
17,5" - 44 cm	0116832900

WEIGHT

Kg 28,3

€ 4.999,00

Atala

B-TOUR A9.1 MAN

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 625

 KIOX

 700C

 12 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil, Lockout
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	FSA, 38T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano Alivio MT401, CL, MicroSpline, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
GREEN/ANTHRACITE MATT	
50 cm	0115296500
53 cm	0115296510
59 cm	0115296520

WEIGHT Kg 29

€ 3.199,00

Atala

B-TOUR A9.1 LADY

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 625

 KIOX

 700C

 12 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil, Lockout
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	FSA, 38T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano Alivio MT401, CL, MicroSpline, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
WHITE/PASTEL GREY MATT	
45 cm	0115296600
50 cm	0115296610
53 cm	0115296620

WEIGHT Kg 29

€ 3.199,00

Atala

B-TOUR A8.1 MAN

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 500

 INTUVIA

 700C

 12 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil, Lockout
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	FSA, 38T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano Alivio MT401, CL, MicroSpline, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	INTUVIA
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
ANTHRACITE MATT/BLACK	
50 cm	0115296700
53 cm	0115296710
59 cm	0115296720

WEIGHT Kg 28,3

€ 2.899,00

Atala

B-TOUR A8.1 LADY

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 500

 INTUVIA

 700C

 12 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil, Lockout
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	FSA, 38T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano Alivio MT401, CL, MicroSpline, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	INTUVIA
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
GREEN/ANTHRACITE MATT	
45 cm	0115296800
50 cm	0115296810
53 cm	0115296820

WEIGHT Kg 28,3

€ 2.899,00

Atala

B-TOUR A7.1 MAN

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 500

 PURION

 700C

 9 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil, Lockout
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	FSA, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
FLAT GREY/BLUE NAVY MATT	
50 cm	0115296900
53 cm	0115296910
59 cm	0115296920

WEIGHT

Kg 28,3

€ 2.649,00

Atala

B-TOUR A7.1 LADY

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 500

 PURION

 700C

 9 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil, Lockout
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	FSA, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
ANTHRACITE/GREEN MATT	
45 cm	0115297000
50 cm	0115297010
53 cm	0115297020

WEIGHT

Kg 28,3

€ 2.649,00

Atala

B-TOUR A6.1 MAN

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 400

 PURION

 700C

 9 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX, 63mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 400 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
ANTHRACITE/GREEN MATT	
50 cm	0115297100
53 cm	0115297110
59 cm	0115297120

WEIGHT

Kg 28,3

€ 2.399,00

Atala

B-TOUR A6.1 LADY

 **BOSCH**

 PERFORMANCE CRUISE

 POWERTUBE 400

 PURION

 700C

 9 S



FRAME	Alu 700C, hydroformed, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX, 63mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 400 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
BLUE NAVY/PASTEL GREY MATT	
45 cm	0115297200
50 cm	0115297210
53 cm	0115297220

WEIGHT

Kg 28,3

€ 2.399,00

Atala

B-TOUR A5.1 MAN

 **BOSCH**

 ACTIVE PLUS CRUISE

 POWERPACK 400

 PURION

 700C

 9 S



FRAME	Alu 700C, hydroformed, internal powerpack, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Active Plus 36 V, 250 W
MAX TORQUE	50 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 400, frametype, weight 2,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 40 % Tour: 100 % Sport: 180 % Turbo: 270 %

GREEN/ANTHRACITE MATT	
50 cm	0115297300
53 cm	0115297310

WEIGHT

Kg 28

€ 2.199,00

Atala

B-TOUR A5.1 LADY

 **BOSCH**

 ACTIVE PLUS CRUISE

 POWERPACK 400

 PURION

 700C

 9 S



FRAME	Alu 700C, hydroformed, internal powerpack, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Active Plus 36 V, 250 W
MAX TORQUE	50 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 400, frametype, weight 2,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 40 % Tour: 100 % Sport: 180 % Turbo: 270 %

WHITE/PASTEL GREY MATT	
45 cm	0115297400
50 cm	0115297410
53 cm	0115297420

WEIGHT

Kg 28

€ 2.199,00

Atala

B-TOUR A4.1 MAN

 BOSCH

 ACTIVE CRUISE

 POWERPACK 400

 PURION

 700C

 7 S



FRAME	Alu 700C, hydroformed, internal powerpack, custom tubing. Internal routing, Forged interface
FORK	Suntour NEX, 63 mm, Coil
HEADSET	Acros AIX-540, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano RD-TY500D
SHIFTERS LEVERS	Shimano Tourney SL-RS36, Revoshift, 7s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 7s 12/32
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TY505, CL, HG 7, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Alu, ahead, adjustable, 31,8 mm
HANDLEBAR	Alu City, 640 mm
SEATPOST	Alu, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Active 36 V, 250 W
MAX TORQUE	40 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 400, frametype, weight 2,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 40 % Tour: 100 % Sport: 170 % Turbo: 250 %

ANTHRACITE MATT/BLACK	
50 cm	0115297500
53 cm	0115297510

WEIGHT

Kg 27,5

€ 1.949,00

Atala

B-TOUR A4.1 LADY

 BOSCH

 ACTIVE CRUISE

 POWERPACK 400

 PURION

 700C

 7 S



FRAME	Alu 700C, hydroformed, internal powerpack, custom tubing. Internal routing, Forged interface
FORK	Suntour NEX, 63 mm, Coil
HEADSET	Acros AIX-540, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano RD-TY500D
SHIFTERS LEVERS	Shimano Tourney SL-RS36, Revoshift, 7s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 7s 12/32
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TY505, CL, HG 7, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Alu, ahead, adjustable, 31,8 mm
HANDLEBAR	Alu City, 640 mm
SEATPOST	Alu, 31,6 mm
SADDLE	Atala Memory Foam Trekking
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Active 36 V, 250 W
MAX TORQUE	40 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 400, frametype, weight 2,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 40 % Tour: 100 % Sport: 170 % Turbo: 250 %

GREEN/ANTHRACITE MATT	
45 cm	0115297600
50 cm	0115297610
53 cm	0115297620

WEIGHT

Kg 27,5

€ 1.949,00

Atala

CLEVER 8.1 MAN

 AMB agile	 AM80 AGILE CAN	 504WH	 A10 LCD REMOTE	 700C	 9 S
--	--	---	--	--	---



FRAME	Alu. Hydroformed 700c, integrated battery, internal cables
FORK	Suntour NEX E25 HLO 700c, alu with alu crown, 50mm, with hydraulic lockout
HEADSET	FSA integrated 1"1/8
CRANKSET	AM80 alu 170mm, FSA 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100
SHIFTERS LEVERS	Shimano Alivio SL-M3100, 9s
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL
CASSETTE	Shimano HG200 9s 11-36
PEDALS	Alu TKK
HUB	Shimano TX505 32h, CL, quick release
RIMS	Rodi 700c, double wall w/eylets, 32h, disc
STEM	Byte alu over, ahead, adjustable
HANDLEBAR	Byte alu over
SEATPOST	Byte suspended 40mm, 27,2mm
SADDLE	Selle Royal Lancia
TYRES	Schwalbe Road Cruiser 700x47c, with reflecting line, puncture proof
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (30 lux) and rear LED, controlled by display and twilight sensor

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phylion Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 7:30h / 80%: 5h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A10 LCD Smart CAN, with remote control		
POWER	5 levels, Power adjust	level1: 50%	
		level2: 100%	level3: 150%
		level4: 200%	level5: 250%
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed info, Battery info		

BLUE NAVY/PASTEL GRAY MATT		
49 cm	0115299000	
54 cm	0115299050	
NOTE	kickstand Ursus adjustable rear, bell, keyring	

WEIGHT	Kg 28,3	€ 1.799,00
--------	---------	------------

Atala

CLEVER 8.1 LADY

 AMB agile	 AM80 AGILE CAN	 504WH	 A10 LCD REMOTE	 700C	 9 S
---	--	---	--	--	---



FRAME	Alu. Hydroformed 700c, integrated battery, internal cables		
FORK	Suntour NEX E25 HLO 700c, alu with alu crown, 50mm, with hydraulic lockout		
HEADSET	FSA integrated 1"1/8		
CRANKSET	AM80 alu 170mm, FSA 38T		
REAR DERAILLEUR	Shimano Alivio RD-M3100		
SHIFTERS LEVERS	Shimano Alivio SL-M3100, 9s		
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL		
CASSETTE	Shimano HG200 9s 11-36		
PEDALS	Alu TKK		
HUB	Shimano TX505 32h, CL, quick release		
RIMS	Rodi 700c, double wall w/eylets, 32h, disc		
STEM	Byte alu over, ahead, adjustable		
HANDLEBAR	Byte alu over		
SEATPOST	Byte suspended 40mm, 27,2mm		
SADDLE	Selle Royal Lancia		
TYRES	Schwalbe Road Cruiser 700x47c, with reflecting line, puncture proof		
MUDGUARDS	Single stay speedy		
CHAINCOVER	Plastic, L type		
CARRIERS	Rear alu 14mm with spring, 25kg load		
EXTERNAL LIGHTS	Axa front (30 lux) and rear LED, controlled by display and twilight sensor		

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phylion Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 7:30h / 80%: 5h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A10 LCD Smart CAN, with remote control		
POWER	5 levels, Power adjust	level1: 50%	
		level2: 100%	level3: 150%
		level4: 200%	level5: 250%
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed info, Battery info		

WHITE/ANTHRACITE		
45 cm	0115299100	
NOTE	kickstand Ursus adjustable rear, bell, keyring	

WEIGHT	Kg 28,3	€ 1.799,00
--------	---------	------------

Atala

CLEVER 7.1 MAN

AM80 agile

⚙️ AM80 AGILE CAN

🔋 418WH

📺 A10 LCD REMOTE

🌀 700C

Ⓢ 8 S



FRAME	Alu. Hydroformed 700c, integrated battery, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	AM80 alu 170mm, FSA 38T
REAR DERAILLEUR	Shimano Acera RD-M360
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 8s
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL
CASSETTE	Shimano HG200 8s 12-32
PEDALS	Resin antislip
HUB	Shimano TX505 32h, CL, quick release
RIMS	Rodi 700c, double wall w/eylets, 32h, disc
STEM	Byte alu over, ahead, adjustable
HANDLEBAR	Byte alu over
SEATPOST	Byte suspended 40mm, 27,2mm
SADDLE	Selle Royal Lancia
TYRES	Byte Trento 700x45c, with reflecting line
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display and twilight sensor

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phyltion Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 6:30h / 80%: 4h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A10 LCD Smart CAN, with remote control		
POWER	5 levels, Power adjust	level1: 50%	
		level2: 100%	level3: 150%
		level4: 200%	level5: 250%
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed info, Battery info		

WHITE/ANTHRACITE		
49 cm	0115299200	
54 cm	0115299250	
NOTE	kickstand Ursus adjustable rear, bell, keyring	

WEIGHT	Kg 28,3	€ 1.649,00
--------	---------	------------

Atala

CLEVER 7.1 LADY

AM80 agile

⚙️ AM80 AGILE CAN

🔋 418WH

📺 A10 LCD REMOTE

🌀 700C

Ⓢ 8 S



FRAME	Alu. Hydroformed 700c, integrated battery, internal cables		
FORK	Suntour NEX 700c, alu with alu crown, 50mm		
HEADSET	FSA integrated 1"1/8		
CRANKSET	AM80 alu 170mm, FSA 38T		
REAR DERAILLEUR	Shimano Acera RD-M360		
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 8s		
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL		
CASSETTE	Shimano HG200 8s 12-32		
PEDALS	Resin antislip		
HUB	Shimano TX505 32h, CL, quick release		
RIMS	Rodi 700c, double wall w/eylets, 32h, disc		
STEM	Byte alu over, ahead, adjustable		
HANDLEBAR	Byte alu over		
SEATPOST	Byte suspended 40mm, 27,2mm		
SADDLE	Selle Royal Lancia		
TYRES	Byte Trento 700x45c, with reflecting line		
MUDGUARDS	Single stay speedy		
CHAINCOVER	Plastic, L type		
CARRIERS	Rear alu 14mm with spring, 25kg load		
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display and twilight sensor		

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phyltion Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 6:30h / 80%: 4h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A10 LCD Smart CAN, with remote control		
POWER	5 levels, Power adjust	level1: 50%	
		level2: 100%	level3: 150%
		level4: 200%	level5: 250%
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed info, Battery info		

ANTHRACITE/NEON RED MATT		
45 cm	0115299300	
49 cm	0115299350	
NOTE	kickstand Ursus adjustable rear, bell, keyring	

WEIGHT	Kg 28,3	€ 1.649,00
--------	---------	------------

Atala

CLEVER 6.1 MAN

	 AM80 AGILE CAN	 418WH	 A15 LED	 700C	 7 S
--	--	---	---	--	---



FRAME	Alu. Hydroformed 700c, integrated battery, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	AM80 alu 170mm, Miche 38T
REAR DERAILLEUR	Shimano Altus RD-M310
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 7s
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 160 mm CL
CASSETTE	Shimano HG200 7s 12-32
PEDALS	Resin antislip
HUB	Shimano TX505 32h, CL, quick release
RIMS	Rodi 700c, double wall w/eylets, 32h, disc
STEM	Byte alu, ahead, adjustable
HANDLEBAR	Byte steel TTK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Lancia
TYRES	Byte Trento 700x45c, with reflecting line
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phylion Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 6:30h / 80%: 4h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A15 LED CAN, Power +/-		
POWER	5 levels, Power adjust	level1: 50%	
	level2: 100%	level3: 150%	
	level4: 200%	level5: 250%	
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control		
ANTHRACITE/NEON RED MATT			
49 cm	0115299400		
NOTE	kickstand Ursus adjustable rear, keyring		

WEIGHT	Kg 28	€ 1.499,00
--------	-------	------------

Atala

CLEVER 6.1 LADY

	 AM80 AGILE CAN	 418WH	 A15 LED	 700C	 7 S
---	--	---	---	--	---



FRAME	Alu. Hydroformed 700c, integrated battery, internal cables		
FORK	Suntour NEX 700c, alu with alu crown, 50mm		
HEADSET	FSA integrated 1"1/8		
CRANKSET	AM80 alu 170mm, Miche 38T		
REAR DERAILLEUR	Shimano Altus RD-M310		
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 7s		
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 160 mm CL		
CASSETTE	Shimano HG200 7s 12-32		
PEDALS	Resin antislip		
HUB	Shimano TX505 32h, CL, quick release		
RIMS	Rodi 700c, double wall w/eylets, 32h, disc		
STEM	Byte alu, ahead, adjustable		
HANDLEBAR	Byte steel TTK		
SEATPOST	Byte alu with clamp, 27,2mm		
SADDLE	Selle Royal Lancia		
TYRES	Byte Trento 700x45c, with reflecting line		
MUDGUARDS	Single stay speedy		
CHAINCOVER	Plastic, L type		
CARRIERS	Rear alu 14mm with spring, 25kg load		
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display		

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phylion Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 6:30h / 80%: 4h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A15 LED CAN, Power +/-		
POWER	5 levels, Power adjust	level1: 50%	
	level2: 100%	level3: 150%	
	level4: 200%	level5: 250%	
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control		
BLUE NAVY/PASTEL GRAY MATT			
45 cm	0115299500		
NOTE	kickstand Ursus adjustable rear, keyring		

WEIGHT	Kg 28	€ 1.499,00
--------	-------	------------

CITY BIKES

E URBAN

Pedalare fino alla cima e attaccare velocemente le discese più tecniche alla massima velocità. Le nostre eEnduro sono costruite per le competizioni, ma grazie alle robuste sospensioni, sono agili e divertenti anche sui sentieri vicino a casa.

Ride to the top and quickly attack the most technical descents at maximum speed. Our eMtb's are built for E-Enduro competitions but thanks to the sturdy suspensions, they are agile and fun even on trails near home.



Atala B-EASY A9.1



⚙️ PERFORMANCE CRUISE

🔋 POWERTUBE 500

📺 INTUVIA

🌀 700C

© 9 S



FRAME	Alu 700C, hydroformed, easy access, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil, Lockout
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam City
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	INTUVIA
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %

BLUE NAVY/PASTEL GREY MATT	
45 cm	0115297700
50 cm	0115297710
53 cm	0115297720

WEIGHT Kg 26,5

€ 2.699,00

Atala

B-EASY A8.1

 **BOSCH**

 PERFORMANCE CRUISE

 **POWERTUBE 400**

 **PURION**

 **700C**

 **9 S**



FRAME	Alu 700C, hydroformed, easy access, integrated battery, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX-E25, 63 mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Satori Harmony, Suspended, 31,6 mm
SADDLE	Atala Memory Foam City
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Performance 36 V, 250 W
MAX TORQUE	65 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 400 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 55 % Tour: 120 % Sport: 200 % Turbo: 300 %
GREEN/ANTHRACITE MATT	
45 cm	0115297800
50 cm	0115297810
53 cm	0115297820

WEIGHTKg 26,5

€ 2.449,00

Atala

B-EASY A7.1

 **BOSCH**

 ACTIVE PLUS CRUISE

 **POWERPACK 400**

 **PURION**

 **700C**

 **9 S**



FRAME	Alu 700C, hydroformed, easy access, internal powerpack, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX, 63 mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Alu, 31,6 mm
SADDLE	Atala Memory Foam City
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Active Plus 36 V, 250 W
MAX TORQUE	50 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 400, frametype, weight 2,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 40 % Tour: 100 % Sport: 180 % Turbo: 270 %
BLACK/GREY MATT	
45 cm	0115297900
50 cm	0115297910
53 cm	0115297920

WEIGHTKg 26

€ 2.199,00

Atala

B-EASY A6.1

 **BOSCH**

 ACTIVE PLUS CRUISE

 POWERPACK 400

 PURION

 700C

 9 S



FRAME	Alu 700C, hydroformed, easy access, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX, 63 mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Alu, 30,9 mm
SADDLE	Atala Memory Foam City
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Active Plus 36 V, 250 W
MAX TORQUE	50 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 400, frametype, weight 2,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 6,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 40 % Tour: 100 % Sport: 180 % Turbo: 270 %
WHITE/DARK RED	
47 cm	0115298000
50 cm	0115298010
53 cm	0115298020

WEIGHT Kg 26

€ 1.999,00

Atala

B-EASY A5.1

 **BOSCH**

 ACTIVE CRUISE

 POWERPACK 300

 PURION

 700C

 7 S



FRAME	Alu 700C, hydroformed, easy access, custom tubing, Internal routing, Forged interface
FORK	Suntour NEX, 63 mm, Coil
HEADSET	Acros AZF-585, 1,5", Internal routing
CRANKSET	Miranda, 38T
REAR DERAILLEUR	Shimano RD-TY500D
SHIFTERS LEVERS	Shimano Tourney SL-RS36, Revoshift, 7s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 7s 12/32
PEDALS	Alu TKK
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TY505, CL, HG 7, 32h
RIMS	Radiate L25V, 25x622, eBike ready
STEM	Satori Python, 31,8 mm, Adjustable, Internal routing
HANDLEBAR	Satori Noirette City, 630 mm
SEATPOST	Alu, 30,9 mm
SADDLE	Selle Royal Wave RVS
TYRES	Schwalbe Energizer Active Plus, Punctureguard, TwinSkin, 700x50C

MOTOR	Active 36 V, 250 W
MAX TORQUE	40 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 300, frametype, weight 2 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 40 % Tour: 100 % Sport: 170 % Turbo: 250 %
BLACK/ANTHRACITE MATT	
47 cm	0115298100
50 cm	0115298110
53 cm	0115298120

WEIGHT Kg 25,5

€ 1.799,00

Atala

CULT 8.1 28"

 AMB agile	 AM80 AGILE CAN	 504WH	 A10 LCD REMOTE	 700C	 8 S
--	--	---	--	--	---



FRAME	Alu. Hydroformed 700c, easy access, integrated battery, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	AM80 alu 170mm, FSA 38T
REAR DERAILLEUR	Shimano Acera RD-M360
SHIFTERS LEVERS	Shimano Tourney SL-RS45 RevoShift, 8s
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL
CASSETTE	Shimano HG200 8s 12-32
PEDALS	Alu TKK
HUB	Shimano TX505 32h, CL, quick release
RIMS	Rodi 700c, double wall w/eylets, 32h, disc
STEM	Byte alu over, ahead, adjustable
HANDLEBAR	Byte alu over
SEATPOST	Byte suspended 40mm, 27,2mm
SADDLE	Selle Royal Aurorae w/elastomer
TYRES	Schwalbe Road Cruiser 700x47c, with reflecting line, puncture proof
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (30 lux) and rear LED, controlled by display and twilight sensor

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phylion Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 7:30h / 80%: 5h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A10 LCD Smart CAN, with remote control		
POWER	5 levels, Power adjust	level1: 50%	
		level2: 100%	level3: 150%
		level4: 200%	level5: 250%
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed info, Battery info		

ANTHRACITE/ORANGE MATT		
45 cm	0115299600	
49 cm	0115299650	
NOTE	kickstand Ursus adjustable rear, keyring	

WEIGHT	Kg 26,7	€ 1.799,00
--------	---------	------------

Atala

CULT 7.1 28"

 AMB agile	 AM80 AGILE CAN	 418WH	 A10 LCD REMOTE	 700C	 7 S
---	--	---	--	--	---



FRAME	Alu. Hydroformed 700c, easy access, integrated battery, internal cables		
FORK	Suntour NEX 700c, alu with alu crown, 50mm		
HEADSET	FSA integrated 1"1/8		
CRANKSET	AM80 alu 170mm, Miche 38T		
REAR DERAILLEUR	Shimano Altus RD-M310		
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s		
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 160 mm CL		
CASSETTE	Shimano HG200 7s 12-32		
PEDALS	Resin antislip		
HUB	Shimano TX505 32h, CL, quick release		
RIMS	Rodi 700c, double wall w/eylets, 32h, disc		
STEM	Byte alu over, ahead, adjustable		
HANDLEBAR	Byte alu over		
SEATPOST	Byte alu with clamp, 27,2mm		
SADDLE	Selle Royal Aurorae w/elastomer		
TYRES	Byte Trento 700x45c, with reflecting line		
MUDGUARDS	Single stay speedy		
CHAINCOVER	Plastic, L type		
CARRIERS	Rear alu 14mm with spring, 25kg load		
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display and twilight sensor		

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phylion Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 6:30h / 80%: 4h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A10 LCD Smart CAN, with remote control		
POWER	5 levels, Power adjust	level1: 50%	
		level2: 100%	level3: 150%
		level4: 200%	level5: 250%
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed info, Battery info		

PASTEL GRAY/BLUE NAVY MATT	
45 cm	0115299700
NOTE	kickstand Ursus adjustable rear, keyring

WEIGHT	Kg 26,7	€ 1649,00
--------	---------	-----------

Atala

CULT 7.1 26"

	 AM80 AGILE CAN	 418WH	 A10 LCD REMOTE	 26"	 7 S
--	--	---	--	---	---



FRAME	Alu. Hydroformed 26", easy access, integrated battery, internal cables
FORK	Suntour NEX 26", alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	AM80 alu 170mm, Miche 38T
REAR DERAILLEUR	Shimano Altus RD-M310
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 160 mm CL
CASSETTE	Shimano HG200 7s 12-32
PEDALS	Resin antislip
HUB	Shimano TX505 32h, CL, quick release
RIMS	Rodi 26", double wall w/eylets, 32h, disc
STEM	Byte alu over, ahead, adjustable
HANDLEBAR	Byte alu over
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Aurorae w/elastomer
TYRES	Byte Garda 26"x1,75", with reflecting line
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display and twilight sensor

Atala

CULT 6.1 26"

	 AM80 AGILE CAN	 418WH	 A15 LED	 26"	 7 S
---	--	---	---	---	---



FRAME	Alu. Hydroformed 26", easy access, integrated battery, internal cables
FORK	Suntour NEX 26", alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	AM80 alu 170mm, Miche 38T
REAR DERAILLEUR	Shimano Tourney RD-TY500
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, levers 3 fingers
CASSETTE	Shimano HG200 7s 12-32
PEDALS	Resin antislip
HUB	Shimano TX500 36h, quick release
RIMS	Beretta 26", double wall w/eylets, 36h
STEM	Byte alu, ahead, adjustable
HANDLEBAR	Byte steel City
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75", with reflecting line
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear steel 10mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

WEIGHT	Kg 26,8	€ 1.649,00
--------	---------	------------

WEIGHT	Kg 26,8	€ 1.449,00
--------	---------	------------

Atala

CALIFFO

AM80 agile AM80 AGILE CAN 418WH A15 LED 20" 7 S



FRAME	Alu. Hydroformed 20x4", easy access, integrated battery, integrated carrier, internal cables
FORK	HL CH-879 20" Fat, alu with alu crown, whith hydraulic lockout, 80mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Alu 155mm, FSA 44T
REAR DERAILLEUR	Shimano Tourney RD-FT35
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT
PEDALS	Alu City
HUB	Alloy 36h, Disc INT, 135/170mm
RIMS	Alloy 20x4", double wall, 36h
STEM	Byte alu, ahead, adjustable
HANDLEBAR	Byte steel City, rice 120mm
SEATPOST	Byte alu with clamp, 31,6mm
SADDLE	Comfort City
TYRES	Fat City 20"x4"
MUDGUARDS	Steel painted
CHAINCOVER	Plastic, L type
CARRIERS	Integrated with frame, w/alloy support plate, 25kg load
EXTERNAL LIGHTS	Front high lux and rear LED, controlled by display

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Phylion Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN		
CHARGER TYPE	2A Europlug		
CHARGE TIME	100%: 6:30h / 80%: 4h40m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A15 LED CAN, Power +/-		
POWER	5 levels, Power adjust	level1: 50%	
	level2: 100%	level3: 150%	
	level4: 200%	level5: 250%	
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control		

BLUE MATT	
43 cm	0115302300
GREY MATT	
43 cm	0115289355
NOTE	kickstand Ursus adjust. rear, bell, wheel reflectors, keyring



WEIGHT	Kg 28	€ 1.699,00
--------	-------	------------

Atala

CLUB

AM80 agile AM80 AGILE CAN 313WH A15 LED 20" 7 S



FRAME	Alu 20", foldable, with integrated battery		
FORK	Hi-Ten Tig 26"		
HEADSET	Integrated 1"1/8, threaded, with cap		
CRANKSET	AM80 alu 152mm, FSA 44T		
REAR DERAILLEUR	Shimano Tourney RD-TY500		
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s		
BRAKES	Shimano BR-MT200 hydraulic disc, Rotor 160 mm CL		
CASSETTE	Shimano HG200 7s 12-32		
PEDALS	Resin foldable		
FRONT HUB	Shimano TX505 32h, CL, quick release		
RIMS	Rodi 20", double wall w/eylets, 32h, disc		
STEM	Alu, foldable, adjustable		
HANDLEBAR	Alu, 30mm rise		
SEATPOST	Alu with clamp, 34,9mm, telescopic		
SADDLE	Selle Royal Lancia		
TYRES	Schwalbe Big Apple 20"x2,00", with reflecting line, puncture proof		
MUDGUARDS	Single stay speedy		
CHAINCOVER	Plastic, L type		
CARRIERS	Alu rear carrier with spring		
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display		

MOTOR	AM80 Agile CAN, 36V 250W		
MAX TORQUE	80 Nm		
SENSOR TYPE	Torque		
BATTERY	Li-Ion 36V, 313Wh, inside down tube, Samsung cells with BMS		
CHARGER TYPE	2 A		
CHARGE TIME	100%: 4h40m / 80%: 3h30m		
MAX ASSISTED SPEED	25 km/h		
DISPLAY	Atala A15 LED CAN, Power +/-		
POWER	5 levels, Power adjust	level1: 50%	
	level2: 100%	level3: 150%	
	level4: 200%	level5: 250%	
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control		

ULTRALIGHT/NEON RED MATT	
33 cm	0115289300
NOTE	kickstand Ursus adjustable, bell Open size: L 163cm, H 117mm, W 59mm Folded size: L 82cm, H 78cm, W 48cm

WEIGHT	Kg 20,3	€ 1.449,00
--------	---------	------------

Atala

E-SPIKE 8.1 MAN

	 45NM	 504WH	 A10 LCD REMOTE	 700C	 8 S
---	--	---	--	--	---



FRAME	Alu. 700c, integrated battery, integrated HT, disc brake, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 42T cartridge
REAR DERAILLEUR	Shimano Altus RD-M310
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 8s
BRAKES	Hydraulic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	DNP 8s 13-28
PEDALS	Resin antislip
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 700c, double wall w/eylets, 36h, disc
STEM	Byte alu over, ahead, adjustable
HANDLEBAR	Byte alu over
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Lancia
TYRES	Byte Trento 700x45c, with reflecting line
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	45 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 504Wh, inside the frame, Samsung cells with Smart BMS CAN
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 8h16 / 80%: 6h16m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A10 LCD Smart CAN, with remote control
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed information Battery information

BLACK/ULTRALIGHT MATT	
49 cm	0115300350
NOTE	kickstand Ursus adjustable, bell

WEIGHT	Kg 27,8	€ 1.399,00
--------	---------	------------

Atala

E-SPIKE 8.1 LADY

	 45NM	 504WH	 A10 LCD REMOTE	 700C	 8 S
---	--	---	--	--	---



FRAME	Alu. 700c, integrated battery, integrated HT, disc brake, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 42T cartridge
REAR DERAILLEUR	Shimano Altus RD-M310
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 8s
BRAKES	Hydraulic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	DNP 8s 13-28
PEDALS	Resin antislip
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 700c, double wall w/eylets, 36h, disc
STEM	Byte alu over, ahead, adjustable
HANDLEBAR	Byte alu over
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Lancia
TYRES	Byte Trento 700x45c, with reflecting line
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	45 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 504Wh, inside the frame, Samsung cells with Smart BMS CAN
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 8h16 / 80%: 6h16m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A10 LCD Smart CAN, with remote control
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed information Battery information

FLAT GRAY/BLUE NAVY MATT	
45 cm	0115300300
NOTE	kickstand Ursus adjustable, bell

WEIGHT	Kg 27,8	€ 1.399,00
--------	---------	------------

Atala

E-SPIKE 7.1 MAN

	 35NM	 360WH	 A15 LED	 700C	 7 S
---	--	---	---	--	---



FRAME	Alu. 700c, integrated battery, integrated HT, disc brake, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 42T cartridge
REAR DERAILLEUR	Shimano Tourney RD-TY500
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 7s
BRAKES	Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 700c, double wall w/eylets, 36h, disc
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel TKK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Trento 700x45c
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear steel 10mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 360Wh, inside the frame, with BMS
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 6h4m / 80%: 4h27m
MAX ASSISTED SPEED	25 km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

FLAT GRAY/BLUE NAVY MATT	
49 cm	0115300450
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 28,3	€ 1.099,00
--------	---------	------------

Atala

E-SPIKE 7.1 LADY

	 35NM	 360WH	 A15 LED	 700C	 7 S
---	--	---	---	--	---



FRAME	Alu. 700c, integrated battery, integrated HT, disc brake, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 42T cartridge
REAR DERAILLEUR	Shimano Tourney RD-TY500
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 7s
BRAKES	Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 700c, double wall w/eylets, 36h, disc
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel TKK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Trento 700x45c
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear steel 10mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 360Wh, inside the frame, with BMS
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 6h4m / 80%: 4h27m
MAX ASSISTED SPEED	25 km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

BLACK/ULTRALIGHT MATT	
45 cm	0115300400
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 28,3	€ 1.099,00
--------	---------	------------

Atala

E-SPACE 8.1 28"

	 45NM	 504WH	 A10 LCD REMOTE	 700C	 8 S
---	--	---	--	--	---



FRAME	Alu. 700c, easy access, integrated battery, integrated HT, disc brake, internal cables
FORK	Suntour NEX 700c, alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 42T cartridge
REAR DERAILLEUR	Shimano Altus RD-M310
SHIFTERS LEVERS	Shimano Tourney SL-RS45 RevoShift, 8s
BRAKES	Hydraulic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	DNP 8s 13-28
PEDALS	Resin antislip
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 700c, double wall w/eylets, 36h, disc
STEM	Byte alu over, ahead, adjustable
HANDLEBAR	Byte alu over
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Aurorae w/elastomer
TYRES	Byte Trento 700x45c, with reflecting line
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Rear alu 14mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	45 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 504Wh, inside the frame, Samsung cells with Smart BMS CAN
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 8h16 / 80%: 6h16m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A10 LCD Smart CAN, with remote control
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0-6km/h, with no pedaling External light control, Speed information Battery information

BLUE NAVY/FLAT GRAY MATT	
45 cm	0115300500
NOTE	kickstand Ursus adjustable, bell

WEIGHT	Kg 26,7	€ 1.399,00
--------	---------	------------

Atala

E-SPACE 7.1 26"

	 35NM	 360WH	 A15 LED	 26"	 7 S
---	--	---	---	---	---



FRAME	Alu. 26", easy access, integrated battery, integrated HT, disc brake, internal cables
FORK	Suntour NEX 26", alu with alu crown, 50mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY500
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 26" alu, double wall w/eylets, 36h, disc
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel City
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Rear steel 10mm with spring, 25kg load
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 360Wh, inside the frame, with BMS
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 6h4m / 80%: 4h27m
MAX ASSISTED SPEED	25 km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

ULTRALIGHT/BLACK	
45 cm	0115300600
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 26,9	€ 1.099,00
--------	---------	------------

Atala

E-RUN 8.1 HD MAN 500

	 35NM	 518WH	 A15 LED	 700C	 7 S
---	--	---	---	--	---



FRAME	Alu. 700c, integrated HT, disc brake, internal cables
FORK	HL CH-187 700c, alu with alu crown, 40mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 42T cartridge
REAR DERAILLEUR	Shimano Tourney RD-TY500
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 7s
BRAKES	Hydraulic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin antislip
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 700c, double wall w/eylets, 36h, disc
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel TTK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Trento 700x45c
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Battery rear carrier with spring, 25kg
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Phylion Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h30m / 80%: 5h40m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

ULTRALIGHT/ANTHRACITE MATT	
49 cm	0115300700
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 28,5	€ 1.199,00
--------	---------	------------

Atala

E-RUN 8.1 HD LADY 500

	 35NM	 518WH	 A15 LED	 26"	 7 S
---	--	---	---	---	---



FRAME	Alu., easy access, integrated HT, disc brake, internal cables
FORK	HL CH-187 26", alu with alu crown, 40mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 42T cartridge
REAR DERAILLEUR	Shimano Tourney RD-TY500
SHIFTERS LEVERS	Shimano SL-M315 PushPull, 7s
BRAKES	Hydraulic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin antislip
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Beretta 26", double wall w/eylets, 36h, disc
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel City
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Battery rear carrier with spring, 25kg
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Phylion Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h30m / 80%: 5h40m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

BLACK/NEON GREEN MATT	
45 cm	0115300800
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 27,8	€ 1.199,00
--------	---------	------------

Atala

E-RUN 7.1 FS MAN 500

ecologic	⚙ 35NM	🔋 518WH	💡 A15 LED	🌀 700C	⌚ 7 S
----------	--------	---------	-----------	--------	-------



FRAME	Alu. 700c, internal cables
FORK	HL CH-187 700c, alu with alu crown, 40mm
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 700c alu, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel TTK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Trento 700x45c
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier with spring, 25kg
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Phylion Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h30m / 80%: 5h40m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

BLACK/NEON RED MATT	
49 cm	0115300900
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 28,5	€ 1.099,00
--------	---------	------------

Atala

E-RUN 7.1 FS LADY 500

ecologic	⚙ 35NM	🔋 518WH	💡 A15 LED	🌀 26"	⌚ 7 S
----------	--------	---------	-----------	-------	-------



FRAME	Alu. 26", easy access, internal cables
FORK	HL CH-187 26", alu with alu crown, 40mm
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 26" alu, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel City
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier with spring, 25kg / front carrier
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Phylion Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h30m / 80%: 5h40m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

BLUE/CHAMPAGNE MATT	
45 cm	0115301000
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 27,8	€ 1.099,00
--------	---------	------------

Atala

E-RUN 7.1 MAN 500

	 35NM	 518WH	 A15 LED	 700C	 7 S
---	--	---	---	--	---



FRAME	Alu. 700c, internal cables
FORK	Hi-Ten Tig 700c
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 700c, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel TTK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Trento 700x45c
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier with spring, 25kg
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Phylion Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h30m / 80%: 5h40m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

ANTHRACITE/NEON GREEN MATT	
49 cm	0115301300
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 28,4	€ 1.049,00
--------	---------	------------

Atala

E-RUN 7.1 LADY 28" 500

	 35NM	 518WH	 A15 LED	 700C"	 7 S
---	--	---	---	---	---



FRAME	Alu. 700c, internal cables
FORK	Hi-Ten Tig 700c
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 700c, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel TTK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Trento 700x45c
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier with spring, 25kg / front carrier
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Phylion Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h30m / 80%: 5h40m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

WHITE/RED	
45 cm	0115301500
NOTE	kickstand Ursus adjustable, bell, wheel reflectors

WEIGHT	Kg 28,4	€ 1.049,00
--------	---------	------------

Atala

E-RUN 7.1 LADY 500

	 35NM	 518WH	 A15 LED	 26"	 7 S
---	--	---	---	---	---



FRAME	Alu. 26", easy access, internal cables
FORK	Hi-Ten Tig 700c
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 700c, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel City
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier with spring, 25kg / front carrier
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35 Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Phyllion Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h30m / 80%: 5h40m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

ULTRALIGHT/ANTHRACITE	
45 cm	0115301400
WHITE/BLUE	
45 cm	0115301450
NOTE	kickstand Ursus adjustable, bell, wheel reflectors



WEIGHT	Kg 28,2	€ 1.049,00
--------	---------	------------

Atala

E-RUN 6.1 FS MAN 360

	 35NM	 360WH	 A15 LED	 700C	 7 S
---	--	---	---	--	---



FRAME	Alu. 700c, internal cables
FORK	HL CH-187 700c, alu with alu crown, 40mm
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 700c, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel TKK
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Trento 700x45c
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier, 25kg
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 360Wh, under carrier, with BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 6h4m / 80%: 4h27m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

BLACK/NEON RED MATT	
49 cm	0115301100
NOTE	kickstand Ursus adjustable, bell, wheel reflectors, carrier bandage

WEIGHT	Kg 28,4	€ 1.049,00
--------	---------	------------

Atala

E-RUN 6.1 FS LADY 360

	 35NM	 360WH	 A15 LED	 26"	 7 S
---	--	---	---	---	---



FRAME	Alu. 26", easy access, internal cables
FORK	HL CH-187 26", alu with alu crown, 40mm
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 26" alu, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel City
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier, 25kg / front carrier
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 360Wh, under carrier, with BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 6h4m / 80%: 4h27m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

ULTRALIGHT/ANTHRACITE	
45 cm	0115301200
NOTE	kickstand Ursus adjustable, bell, wheel reflectors, carrier bandage

WEIGHT	Kg 28,1	€ 1.049,00
--------	---------	------------

Atala

E-RUN 6.1 LADY 360

	 35NM	 360WH	 A15 LED	 26"	 7 S
---	--	---	---	---	---



FRAME	Alu. 26", easy access, internal cables
FORK	Hi-Ten Tig 26"
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TY300
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 26" alu, double wall w/eylets, 36h
STEM	Byte alu, adjustable
HANDLEBAR	Byte steel City
SEATPOST	Byte alu with clamp, 27,2mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Battery rear carrier, 25kg / front carrier
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED on battery, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 360Wh, under carrier, with BMS, integrated rear light
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 6h4m / 80%: 4h27m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

BLUE/CHAMPAGNE MATT	
45 cm	0115301600
WHITE/RED	
45 cm	0115301650
NOTE	kickstand Ursus adjustable, bell, wheel reflectors, carrier bandage



WEIGHT	Kg 27,8	€ 989,00
--------	---------	----------

Atala

E-WAY

ecologic	⚙ 35NM	🔋 360WH	💡 A15 LED	🛞 26"	🕒 6 S
----------	--------	---------	-----------	-------	-------



FRAME	Hi-Ten Tig 26", easy access, internal cables
FORK	Hi-Ten Tig 26"
HEADSET	Steel 1"1/8, threaded, with cap
CRANKSET	Byte steel 42T cartridge, with cap
REAR DERAILLEUR	Shimano Tourney RD-TZ500
SHIFTERS LEVERS	Shimano Tourney SL-RS36 RevoShift, 6s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 6s 14-28
PEDALS	Resin City
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 26" alu, double wall w/eylets, 36h
STEM	Alu
HANDLEBAR	Byte steel City
SEATPOST	Alu, 25,4mm
SADDLE	Selle Royal Wave
TYRES	Byte Garda 26"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Steel painted, L type
CARRIERS	Rear carrier, 25kg / front carrier
EXTERNAL LIGHTS	Front and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 360Wh, behind seat tube, with BMS
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 6h4m / 80%: 4h27m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control, Speed information

BLACK/LIGHT BLUE MATT	
41 cm	0115290600
WHITE/NEON GREEN	
41 cm	0115290603



NOTE	kickstand on CS, bell, wheel reflectors	
WEIGHT	Kg 27,6	€ 879,00

Atala

EXTRAFOLDING 7.1

ecologic	🔋 630WH	💡 LCD	🛞 20"	🕒 7 S
----------	---------	-------	-------	-------



FRAME	Alu 20" FAT, foldable, integrated battery, integrated HT, disc brake, internal cables
FORK	Susp 45mm 20"x4", alu crown, with mechanical lockout
HEADSET	FSA integrated 1"1/8
CRANKSET	Alu 170mm, 42T, cartridge
REAR DERAILLEUR	Shimano Tourney RD-FT35D
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Hydraulic disk, Rotor 180 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin foldable
HUB	Alu 36h, axle 135 F/175 R, motor on rear
RIMS	20" alu, double wall, 36h
STEM	Alu, foldable, adjustable
HANDLEBAR	Alu, 20mm rise
SEATPOST	Alu with clamp, 33,9mm
SADDLE	Selle Royal Wave
TYRES	20"x4"
MUDGUARDS	Steel painted
CHAINCOVER	Paracatena
CARRIERS	Alu rear carrier custom, 25kg
EXTERNAL LIGHTS	Axa front (30Lux) and rear LED, controlled by display

MOTOR	Bafang brushless 36V 250W, on rear hub
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 630Wh, inside the frame, Samsung cells with BMS
RANGE	Up to 120 km
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 10h14m / 80%: 7h47m
POWER	5 levels, Speed/Torque adjust
MAX ASSISTED SPEED	25km/h
DISPLAY	LCD, Power +/-
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control, Speed information

BLACK/ANTHRACITE MATT	
45 cm	0115301700
BLACK/ORANGE MATT	
45 cm	0115301750



NOTE	kickstand Ursus adjustable, bell, wheel reflectors	
WEIGHT	Kg 31,5	€ 1.749,00

Atala

EXTRAFOLDING

 ecologic	 522WH	 LCD	 20"	 7 S
--	---	---	---	---



FRAME	Alu 20" FAT, foldable, integrated HT, disc brake
FORK	Susp 45mm 20"x4", alu crown, with mechanical lockout
HEADSET	Integrated 1"1/8, threaded
CRANKSET	Alu 170mm, 42T, cartridge
REAR DERAILLEUR	Shimano Tourney RD-FT35D
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Hydraulic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin foldable
HUB	Alu 36h, axle 135 F/175 R, motor on rear
RIMS	20" alu, double wall, 36h
STEM	Alu, foldable, adjustable
HANDLEBAR	Alu, 20mm rise
SEATPOST	Alu with clamp, 27,2mm, 400mm long
SADDLE	Selle Royal Wave
TYRES	20"x4"
MUDGUARDS	Steel painted
CHAINCOVER	Paracatena
CARRIERS	Alu integrato al telaio
EXTERNAL LIGHTS	Spanninga front (16Lux) and rear LED, controlled by display

MOTOR	Bafang brushless 36V 250W, on rear hub
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 522Wh, Samsung cells behind seat tube, with BMS
RANGE	Up to 100 km
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 8h34m / 80%: 6h27m
POWER	5 levels, Speed/Torque adjust
MAX ASSISTED SPEED	25km/h
DISPLAY	LCD, Power +/-
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control, Speed information

BLACK/NEON YELLOW MATT	
43 cm	0115290700
NEON GREEN/BLACK MATT	
43 cm	0115290705



NOTE	kickstand on CS, bell, wheel reflectors		
------	---	--	--

WEIGHT	Kg 31	€ 1.449,00
--------	-------	------------

Atala

E-MOTICON

 ecologic	 35NM	 460WH	 DIGIT LED	 20"	 7 S
--	--	---	---	---	---



FRAME	Alu 20", foldable, integrated battery, easy access, disc, integrated cables
FORK	HL CH-106D monoshock 20", alu, 25mm
HEADSET	FSA integrated 1"1/8
CRANKSET	Byte alu 152mm, 42T, cartridge
REAR DERAILLEUR	Shimano Altus RD-M310
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin foldable
HUB	Shimano quick release front, motor on rear, 36h, INT
RIMS	Rodi 20", double wall w/eylets, 36h, disc
STEM	Alu, foldable, adjustable, ahead
HANDLEBAR	Alu, 20mm rise
SEATPOST	Alu with clamp, 30,9mm, 350mm long
SADDLE	Selle Royal Wave
TYRES	20"x2,40", city
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Alu rear carrier with spring
EXTERNAL LIGHTS	Axa front (15 lux) and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 460Wh, inside down tube, LG cells with BMS
CHARGER TYPE	2A Europlug
CHARGE TIME	100%: 7h36m / 80%: 5h45m
MAX ASSISTED SPEED	25km/h
DISPLAY	Digit LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

WHITE/NEON RED	
35 cm	0115301900
BLACK/NEON GREEN MATT	
35 cm	0115301800



NOTE	kickstand Ursus adjustable, bell, wheel reflectors		
------	--	--	--

WEIGHT	Kg 21,1	€ 1.449,00
--------	---------	------------

Atala

E-FOLDING

ecologic	⚙ 35NM	🔋 317WH	💡 A15 LED	🛞 20"	🕒 7 S
----------	--------	---------	-----------	-------	-------



FRAME	Alu 20", foldable, with integrated battery
FORK	Hi-Ten Tig 20"
HEADSET	Integrated 1"1/8, threaded, with cap
CRANKSET	Byte alu 152mm, 42T, cartridge
REAR DERAILLEUR	Shimano Tourney RD-TF35
SHIFTERS LEVERS	Shimano Tourney SL-RS35 RevoShift, 7s
BRAKES	Promax alu, V-Brake, with brake lever switch
FREEWHEEL	Shimano Tourney 7s 14-28
PEDALS	Resin foldable
HUB	Alu 36h, Shimano front, motor on rear
RIMS	Beretta 20" alu, double wall, 36h
STEM	Alu, foldable, adjustable
HANDLEBAR	Alu, 20mm rise
SEATPOST	Alu with clamp, 34mm, 500mm long
SADDLE	Selle Royal Mach
TYRES	20"x1,75"
MUDGUARDS	Single stay speedy
CHAINCOVER	Plastic, L type
CARRIERS	Alu rear carrier with spring
EXTERNAL LIGHTS	Front and rear LED, controlled by display

MOTOR	Ananda brushless 36V 250W, on rear hub
MAX TORQUE	35Nm
SENSOR TYPE	Speed sensor w/12 pulses
BATTERY	Li-Ion 36V, 313Wh, inside down tube, Samsung cells with BMS
CHARGER TYPE	2 A
CHARGE TIME	100%: 4h40m / 80%: 3h30m
MAX ASSISTED SPEED	25km/h
DISPLAY	Atala A15 LED UART, Power +/-
POWER	5 levels, Speed/Torque adjust
OTHER FUNCTIONS	Soft start: 0 - 6km/h, with no pedaling External light control

BLACK/NEON GREEN MATT	
33 cm	0115290800
NOTE	kickstand Ursus adjustable, bell, wheel reflectors Open size: L 156cm, H 117cm, W 59cm Folded size: L 83cm, H 68cm, W 42cm
WEIGHT	Kg 23

€ 1.149,00

THE KITS OF
OUR E-BIKES

