



LEGGERO E RIGIDO

Il telaio monoscocca è realizzato da uno stampo unico, quindi non ci sono giunzioni tra i tubi, come incollaggi o fasciature o saldature (alluminio), dove si concentrano gli sforzi della struttura. Vantaggio per eccellenza: il peso. La lavorazione in uno stampo unico di grandi dimensioni permette di trattare la struttura come se fosse un tubo unico. Il principale valore della fibra di carbonio è che può essere orientata in modo da fornire rigidità o flessibilità nei punti critici del telaio a seconda delle esigenze progettuali. Questo consente di creare telai molto reattivi ma anche in grado di assorbire le vibrazioni e allo stesso tempo di risparmiare materiale laddove non serve riducendo in questo modo il peso.

LIGHTER AND STIFFER

The monocoque frame is made from a single mold, there are no joints between the pipes, such as gluing or bandages or welds (aluminum), where the efforts of the structure are concentrated. Advantage par excellence: weight. Processing in a single large mold allows the structure to be treated as if it were a single tube. The main value of carbon fiber is that it can be oriented so as to provide stiffness or flexibility in the critical points of the frame according to the design needs. This allows you to create frames that are very reactive but also capable of absorbing vibrations and at the same time saving material where it is not needed, thus reducing weight.

WHISTLE

B-RUSH C9.1



PERFORMANCE CX CRUISE

POWERTUBE 625

KIOX

29"

12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Fox 38 Float Performance, 150 mm, Air, Tapered, FIT4, 3Pos-Adj, 15x110 mm, E-Bike chassis
REAR SHOCK	Fox Float X2 Performance, LSC, LSR, 230x65
HEADSET	FSA No.57E tapered 1"1/2
CRANKSET	Miche Black Box, FSA 36T MegaTooth
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano XT SL-M8100 Rapidfire-Plus, 12s
BRAKES	Shimano XT BR-M8120, Four piston, Rotor RT-MT800 203 mm/203 mm
CASSETTE	Shimano CS-M7100 12s 10/51
PEDALS	Alu MTB Full
WHEELS	Shimano XT WH-M8120
STEM	Race Face Chester, 40 mm, Bar bore 35 mm
HANDLEBAR	Race Face Chester, 780 mm, Rise 20
SEATPOST	Race Face Aeffect R, 31,6 mm, remote
SADDLE	Fizik Taiga
TYRES	F: Schwalbe Magic Mary Evo, Addix Soft, Super Trail, 29"x2,60" R: Schwalbe Eddy Current Rear Evo, Addix Soft, Super Gravity, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	4 A
CHARGE TIME	Up to 5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

ARBON MATT/CHROME	
16" - 40 cm	0116830100
17,5" - 44 cm	0116830110
19" - 48 cm	0116830120
20,5" - 52 cm	0116830130

WEIGHT Kg 25,3

€ 6.099,00

B-RUSH C8.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 KIOX

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Fox 36 Float Rhythm, 150 mm, Air, Tapered, FIT GRIP Sweep-Adj, 15x110 mm, E-Bike chassis
REAR SHOCK	Fox Float DPX2 Performance, EVOL, LV, 3-Pos, 230x65 mm
HEADSET	FSA No.57E tapered 1"1/2
CRANKSET	Miche Black Box, FSA 34T MegaTooth
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano SLX SL-M7100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT520, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
WHEELS	Shimano SLX WH-MT620
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DP01, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	F: Schwalbe Magic Mary Evo, Addix Soft, Super Trail, 29"x2,60" R: Schwalbe Hans Dampf Evo, Addix Soft, Super Trail, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	4 A
CHARGE TIME	Up to 5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/BLACK	
16" - 40 cm	0116830200
17,5" - 44 cm	0116830210
19" - 48 cm	0116830220
20,5" - 52 cm	0116830230

WEIGHT

Kg 24,9

€ 5.299,00

B-RUSH C7.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Fox 34 Float Rhythm, 140 mm, Air, Tapered, FIT GRIP Sweep-Adj, 15x110 mm, E-Bike chassis
REAR SHOCK	Rock Shox Deluxe Select R, DebonAir, 230x65 mm
HEADSET	FSA No.57E tapered 1"1/2
CRANKSET	Miche Black Box, FSA 34T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano SLX SL-M7100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X30, 30x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DP01, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	4 A
CHARGE TIME	Up to 5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/CHROME	
16" - 40 cm	0116830350
17,5" - 44 cm	0116830360
19" - 48 cm	0116830370
20,5" - 52 cm	0116830380

WEIGHT

Kg 24,4

€ 4.699,00

B-RUSH C6.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Deluxe Select R, DebonAir, 230x65 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T MegaTooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X30, 30x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/FANCY BLUE	
16" - 40 cm	0116830400
17,5" - 44 cm	0116830410
19" - 48 cm	0116830420
20,5" - 52 cm	0116830430

WEIGHT

Kg 24,5

€ 4.499,00

B-RUSH C4.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 12 S



FRAME	Full Carbon 29", Toray T700, integrated battery, tapered, Rear travel 150 mm, 12x148 mm E-Thru
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Deluxe Select R, DebonAir, 230x65 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X30, 30x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

CARBON MATT/BLACK	
16" - 40 cm	0116830500
17,5" - 44 cm	0116830510
19" - 48 cm	0116830520
20,5" - 52 cm	0116830530

WEIGHT

Kg 23,9

€ 4.099,00



WHISTLE
B-RUSH A9.1

BOSCH PERFORMANCE CX CRUISE POWERTUBE 625 KIOX 29" 12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano XT RD-M8100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DP01, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	KIOX
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

PASTEL BLUE MATT/PASTEL LIGHT GREY

16" - 40 cm	0116830800
17,5" - 44 cm	0116830810
19" - 48 cm	0116830820
20,5" - 52 cm	0116830830

WEIGHT Kg 26,5

€ 4.149,00

B-RUSH A8.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1 1/2
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

BLACK MATT/ORANGE	
16" - 40 cm	0116830900
17,5" - 44 cm	0116830910
19" - 48 cm	0116830920
20,5" - 52 cm	0116830930

WEIGHT

Kg 26,8

€ 3.949,00

B-RUSH A7.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 625

 PURION

 29"

 12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Rock Shox Judy Silver TK, 130 mm, Maxle Lite 15x110 mm, SoloAir, Tapered, Lockout, E-Bike
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1 1/2
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT420, Four piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Rise Alu Oversize, 780 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Nobby Nic, Performance, Addix, 29"x2,60"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

DARK BLUE MATT/CHROME	
16" - 40 cm	0116831000
17,5" - 44 cm	0116831010
19" - 48 cm	0116831020
20,5" - 52 cm	0116831030

WEIGHT

Kg 26,8

€ 3.699,00

B-RUSH A6.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 12 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Suntour XCM34, 130 mm, 15x110 mm, Coil, Tapered, Lockout
REAR SHOCK	Rock Shox Monarch R, SoloAir, 200x57 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M6100 Rapidfire-Plus, 12s
BRAKES	Shimano BR-MT410, Two piston, Rotor SM-RT30 203 mm/203 mm
CASSETTE	Shimano CS-M6100 12s 10/51
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT410, 12x148, CL, MicroSpline, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Dropper DPO1, 31,6 mm, remote
SADDLE	Whistle Performance
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

PASTEL BLUE MATT/PASTEL LIGHT GREY

16" - 40 cm	0116831100
17,5" - 44 cm	0116831110
19" - 48 cm	0116831120
20,5" - 52 cm	0116831130

WEIGHT

Kg 26

€ 3.299,00

B-RUSH A5.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 10 S



FRAME	Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm
FORK	Suntour XCM34, 130 mm, 15x110 mm, Coil, Tapered, Lockout
REAR SHOCK	Suntour Raidon, 230x65 mm
HEADSET	FSA No.57B tapered 1"1/2
CRANKSET	FSA, 34T
REAR DERAILLEUR	Shimano Deore RD-M5120, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M4100 Rapidfire-Plus, 10s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M4100 10s 11/46
PEDALS	Alu MTB Full
FRONT HUB	Shimano Alivio MT400, 15x110, CL, 32h
REAR HUB	Shimano Alivio MT400, 12x148, CL, HG, 32h
RIMS	Radiale X25, 25x622, eBike ready, Asymmetric
STEM	Alu Oversize, 35 mm, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Whistle Performance
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

BLACK MATT/ORANGE

16" - 40 cm	0116831200
17,5" - 44 cm	0116831210
19" - 48 cm	0116831220
20,5" - 52 cm	0116831230

WEIGHT

Kg 26


€ 2.999,00

E-BIKE

E HARDTAIL

Pedalare fino alla cima e attaccare velocemente le discese più tecniche alla massima velocità. Le nostre eEnduro sono costruite per le competizioni, ma grazie alle robuste sospensioni, sono agili e divertenti anche sui sentieri vicino a casa.

Ride to the top and quickly attack the most technical descents at maximum speed. Our eMtb's are built for E-Enduro competitions but thanks to the sturdy suspensions, they are agile and fun even on trails near home.



WHISTLE

B-RACE A9.1



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCR32, 100 mm, Coil, 15x100, Tapered, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano Alivio MT400, 15x100, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 625 Horizontal, frametype, weight 3,5 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 9 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

ANTHRACITE/BLACK MATT	
16" - 40 cm	0116832000
18" - 46 cm	0116832010
20" - 50 cm	0116832020

WEIGHT	Kg 27,5
--------	---------

€ 2.999,00

B-RACE A8.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 12 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCR32, 100 mm, Coil, Tapered, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

FLAT GREY/NEON RED	
16" - 40 cm	0116832100
18" - 46 cm	0116832110
20" - 50 cm	0116832120

WEIGHT

Kg 26,8

€ 2.699,00

B-RACE A7.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERTUBE 500

 PURION

 29"

 10 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, Miche 34T
REAR DERAILLEUR	Shimano Deore RD-M5120, Shadow Plus
SHIFTERS LEVERS	Shimano Deore SL-M4100 Rapidfire-Plus, 10s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-M4100 10s 11/46
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiale E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powertube 500 Horizontal, frametype, weight 2,8 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %

ORANGE/BLACK	
16" - 40 cm	0116832200
18" - 46 cm	0116832210
20" - 50 cm	0116832220
WHITE/ANTHRACITE MATT	
16" - 40 cm	0116832203
18" - 46 cm	0116832213
20" - 50 cm	0116832223



WEIGHT

Kg 26,8

€ 2.499,00

B-RACE A6.1

 **BOSCH**

 PERFORMANCE CX CRUISE

 POWERPACK 500

 PURION

 29"

 9 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCM, 100 mm, Coil
HEADSET	FSA No.57BP ZS-1 for 1"1/8 steerer
CRANKSET	Miranda, 34T
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS, Shadow
SHIFTERS LEVERS	Shimano Altus SL-M2010 Rapidfire, 9s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Shimano CS-HG200 9s 11/36
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Alu, Bar bore 31,8 mm
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

MOTOR	Performance CX 36 V, 250 W
MAX TORQUE	85 Nm
SENSOR TYPE	Torque
BATTERY	Powerpack 500, frametype, weight 2,6 kg
CHARGER TYPE	2 A
CHARGE TIME	Up to 7,5 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	PURION
POWER	Eco: 60 % Tour: 140 % EMTB: 140 / 340 % Turbo: 340 %
ANTHRACITE/GREEN MATT	
16" - 40 cm	0116832400
18" - 46 cm	0116832410
20" - 50 cm	0116832420

WEIGHT Kg 26,6

€ 2.299,00

B-RACE A5.1

 **AM80**

 AM-80

 ENERGYTUBE 500

 AM LCD

 29"

 12 S



FRAME	Alu 29", hydroformed, integrated battery, tapered, Internal routing, Forged interface
FORK	Suntour XCR32, 100 mm, Coil, Tapered, Lockout
HEADSET	Acros AZF-581, 1,5", Internal routing
CRANKSET	FSA, 34T, Megatooth
REAR DERAILLEUR	Sram SX Eagle
SHIFTERS LEVERS	Sram SX Eagle Single Click Trigger, 12s
BRAKES	Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm
CASSETTE	Sram PG1210 Eagle 12s, 11/50
PEDALS	Alu MTB
FRONT HUB	Shimano TX505, CL, 32h
REAR HUB	Shimano TX505, CL, HG, 32h
RIMS	Radiate E25V, 25x622, eBike ready
STEM	Satori Viper0, 31,8 mm, Internal routing
HANDLEBAR	Alu Low Rise, 720 mm
SEATPOST	Alu 31,6 mm
SADDLE	Selle Royal Sauris
TYRES	Schwalbe Smart Sam, Performance, Addix, 29"x2,35"

MOTOR	AM-80 36 V, 250 W
MAX TORQUE	80 Nm
SENSOR TYPE	Torque
BATTERY	EnergyTube 500, frametype, weight 2,9 kg
CHARGER TYPE	2 A
CHARGE TIME	up to 7 hours
MAX ASSISTED SPEED	25 km/h
DISPLAY	AM LCD
POWER	Mode 1: 50% Mode 2: 100% Mode 3: 200% Mode 4: 300% Mode 5: 400%
FLAT GREY/NEON RED	
16" - 40 cm	0116832500
18" - 46 cm	0116832510
20" - 50 cm	0116832520

WEIGHT Kg 26,6

€ 2.049,00